

Done

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

Lodewyk.dewet@lrsc.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

010 010 0551

Www.lrsa.co.za

GRV for CHEP - LRSA NR: 9289 (GRV)

Receiver: Brenda Makhura

Checker: William Letsholo

Warehouse: CHEP ALRODE

Sender Ref 1: 3038569176

Receive Date: 2024-02-18

WarehouseRecv: SEDIBENG BREWERY

Sender Ref 2: 62898497

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
Single Units					
4085904	Pallet Rental Wood Chep			0	480
				0.00	480.00
			Total QTY Received	0.00	480.00

Checked By:

Transport Company:

L/R

Receiver: HJZ817FS

Checker: XOLANI

Driver Signature:

18/02/2024 02:49:46 PM

1/1

048-477

ISSUE NOTE

Issued To: 101032817. ZAB1 - Heineken Beverages Primary A 1 De Man Street Klipriver Business Klipriver Tel: +270102161000 Fax: +270102161022 (0)00 000 0000	Transporter: Tel: Fax: Subc: L/R Driver: XOLANI8403095279087 Vehicle ID: HJZ817FS	Sales Order: 3038569176 Delivery Number: 3695694982 Customer Ref: HEINEKEN SEDI
Plant: ZA04 Alrode CHEP South Africa Botha Street Alrode 6 Johannesburg Tel: 011 9039650 Fax: 011 8785777	Delivery Date: 18 Feb 2024 Actual Goods Issue Date: 18 Feb 2024	Total Quantity: 480 Est. Weight: 15,840KG Time In: 02:00:00 Time Out: 12:33:46

Material	Material Description	ActualQty	UOM
1	B1210A-1200x1000 Block Pallet	480	EA
	Internal Use 8001 480		

Comments:

/ / +270102161000 /

CHEP SOUTH AFRICA (PTY) LTD
P.O. Box 123773
Alrode, 1451
Tel: +27 11 903 9650
Fax: +27 31 267 8960



18/02/2024

Issuing Plant / Receiving Plant

Name:

Date:

Signature:




Transporter: L/R

Drivers Name: XOLANI8403095279087

Date:

Signature :



CHEP HIRE EQUIPMENT IS NEVER SOLD
A BRAMBLES COMPANY

All transactions with CHEP South Africa (Pty) Ltd. are subject to the Terms and Conditions of Hire Agreement of CHEP South Africa (Pty) Ltd. which are available from CHEP Head Office at 7 Westville Road, Westville 3629, PO Box 514, Westville 3630.



A Brambles Company

11534

Certificate of Compliance

CERTIFICATE NUMBER: 780

DATE: 18/02/24

Issue Service Center: 2A07

Issue Note Reference No: 3695694982

Customer:

Received By: Name: Xola ti

Title: Driver

Signature: X. D. M. M. M.

Products: Code 8001 Pooling Pallets

Compliance: Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- ☒ Raised nails not to exceed 2 mm max protrusion
- ☒ Protruding nails on pallet is not acceptable
- ☒ Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- ☒ No mould present on pallets – Blue, Green and White mould
- ☒ All pallets not to exceed 10 mm overhang on either side of the pallet
- ☒ There are no missing OR broken top deck or bottom deck boards
No splits on bottom deck elements
- ☒ There are no missing blocks or blocks with more than 1/3 portion removed in total
- ☒ There are no blocks with splits or cracks, no pallets with composite blocks
- ☒ Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

Name: [Signature]

Title: [Signature]

Date: 18/02/24

Signature: [Signature]