

Sedibeng Brewery  
Kliprivier Business Park  
1 De Man Road, Midvaal  
Johannesburg



Sedibeng Brewery  
Kliprivier Business Park  
1 De Man Road, Midvaal  
Johannesburg

Lodewyk.dewet@lrsc.co.za

Liquor Runners Sedibeng SEDIBENG PRIMARY

010 010 0551  
www.lrsc.co.za

GRV for CHEP - LRSA NR: 9476 (GRV)

**Receiver:** Chris Ramoshaba

**Checker:** Tebogo Petsa

**Warehouse** ALRODE CHEP

**Sender Ref 1:** 3038614591

**Receive Date:** 2024-02-21

**WarehouseRecv:** SEDIBENG BREWERY

**Sender Ref 2:** 62918125 ✓

| SKU Code | Stock Description       | Bin | Batch Number | QTY(Cases) | QTY(Units) |
|----------|-------------------------|-----|--------------|------------|------------|
| 4085904  | Pallet Rental Wood Chep |     |              | 0          | 480        |

0.00 480.00

Total QTY Received

0.00 480.00

Checked By: Tebogo

Transport Company: LR

21/02/2024 08:31:59 PM

**Receiver:** HJZ 819 FS

**Checker:** UYANDA

Driver Signature: \_\_\_\_\_

1/1

21.02.2024



A Brambles Company

SEND: Alrode

6 Botha Street

Johannesburg GP 1451

RECEIVER ZAB1 - Heineken Beverages Primary A  
1 De Man Street Klipriver Business  
Klipriver GP 1960

APPOINTMENT :

CHECK IN: 21.02.2024 15:29:01

LOAD COMPLETE: 21.02.2024 16:02:18

CHECK OUT : 21.02.2024 16:25:55

| DELIVERY NUMBER | HAULIER<br>CUSTOMER PICK UP | CHARGES<br>COLLECT |
|-----------------|-----------------------------|--------------------|
| 3695748038      |                             |                    |

| ITEM   | EQUIPMENT<br>CODE | PLANNED QTY | ACTUAL QTY | DESCRIPTION                   |
|--------|-------------------|-------------|------------|-------------------------------|
| 000010 | 08001             | 480         | 480        | B1210B 1000X1200 BLOCK PALLET |

CHEP SOUTH AFRICA (PTY) LTD

P.O. Box 123773

Alrode, 1451

Tel: +27 11 903 9650

Fax: +27 31 267 8960



HAULIER DELIVERY INSTRUCTIONS

/ / +270102161000 /

Mokhethi Maine 21.02.2024 16:01:33

3038614591

SENDER LOCATION CODE

ZA04

RECIEVER LOCATION CODE

101032817

VEHICLE REGISTRATION CODE

HJZ819FS

NOTES REF #  
HEINEKEN SEDI

CALL HELPDESK AT ZA-INFO@CHEP.COM OR CALL 0800330334 IF THERE ARE  
ANY PROBLEMS

|                         |                  |
|-------------------------|------------------|
| (SIGNATURE OF RECEIVER) | TOTAL PIECES     |
| NAME                    | 480              |
| DATE                    | ESTIMATED WEIGHT |
|                         | 15840 KG         |

CHEP HIRE EQUIPMENT IS NEVER SOLD  
A BRAMBLES COMPANY

All transactions with CHEP South Africa (PTY) Ltd, are subject to the Terms and Conditions of CHEP South Africa (PTY) Ltd, which are  
Available from CHEP Head Office at 7 Westville Road, Westville 3629, PO BOX 514, Westville 3630.  
CO REG No. 1957/003310/07

PROOF OF DELIVERY

|                           |
|---------------------------|
| SHIPMENT DATE             |
| 21. FEB 2024              |
| CUSTOMER REQUEST          |
| 22. FEB 2024 0001 to 2359 |

DELIVERY NO: 3695748038  
SHIPMENT NO: 0000000000  
ORDER DATE: 21. FEB 2024  
TYPE: ISSUE

# CHEP

6/29/8/25

A Brambles Company

11767

## Certificate of Compliance

CERTIFICATE NUMBER:

480

DATE:

21/02/24

Issue Service Center:

2A04 HROde

Issue Note Reference No:

3695748038

Customer:

Hemeken

Received By: Name:

Vus:

Title:

Driver

Signature:

Products:

Code 8001 Pooling Pallets

Compliance:

Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.



Raised nails not to exceed 2 mm max protrusion



Protruding nails on pallet is not acceptable



Pallets are free of transferable contamination i.e. soil, food and chemicals and labels



No mould present on pallets – Blue, Green and White mould



All pallets not to exceed 10 mm overhang on either side of the pallet



There are no missing OR broken top deck or bottom deck boards

No splits on bottom deck elements



There are no missing blocks or blocks with more than 1/3 portion removed in total



There are no blocks with splits or cracks, no pallets with composite blocks



Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively

Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

Name:

Moses Mese

Title:

Yard Controller

Date:

21/02/24

Signature: