Sedibeng Brewery Kliprivier Business Park 1 De Man Road, Midvaal Johannesburg

Dome Liquor Runners

Sedibeng Brewery Küprivier Business Park 1 De Man Road, Midvaal Johannesburg

010 010 0551

Lodewyk.dewet@trsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

Www.lrsa.co.za

GRV for CHEP - LRSA NR: 10098 (GRV)

Receiver:

Tefo Madia

Checker:

Sibongile Myelase

Receive Date:

2024-03-01

Warehouse

CHEP ALRODE

WarehouseRecv: SEDIBENG BREWERY

Sender Ref 1:

62938610

Sender Ref 2:

3038653196

| SKU Code | Stock Description | Bin | Batch Number | QTY(Cases) | QTY(Units) |
|------------|-------------------------|-----|--------------------|------------|------------|
| Single Uni | ts | 12 | | | |
| 4085904 | Pallet Rental Wood Chep | | | 0 | 480 |
| | | | | 0,00 | 480.00 |
| | | | Total QTY Received | 0.00 | 480.00 |

Checked By:

Transport Company:

Receiver:

HJZ819FS

Checker:

VUSI

Driver Signature:

01/03/2024

11:56:47 AM

1/1





les: 10632147305

A Brambles Company

11792

Certificate of Compliance

| | | 1504206424 170407 1705 477 1865 46 1812 - 1, 1265 170 - 1558 1756 175 174 - 1603 1767 1700 1700 1700 1700 1700 | | | |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------|--|--|
| CERTIF | ICATE NUMBER : | 450 | DATE: 01/05/2024 | | |
| Issue Service Center: | | Aleode Zitoy | | | |
| Issue Note Reference No: 3038 663 /96 | | | | | |
| Customer: God Bench Hoinskow | | | | | |
| Received By: Name: Title: Signature: | | Mosi Anie | | | |
| Product | ts: | Code 8001 Pooling Pallets | | | |
| Compliance: | | Chep guarantees that this load of equipment pooling pallets meets the following quality requirements. | | | |
| _ | Raised nails not to exceed 2 mm max protrusion | | | | |
| <u>_</u> | Protruding nails on pallet is not acceptable | | | | |
| | Pallets are free of transferable contamination i.e. soil, food and chemicals and labels | | | | |
| | No mould present on pallets – Blue, Green and White mould | | | | |
| L | All pallets not to exceed 10 mm overhang on either side of the pallet | | | | |
| L | There are no missing OR broken top deck or bottom deck boards No splits on bottom deck elements There are no missing blocks or blocks with more than 1/3 portion removed in total | | | | |
| | There are no blocks with splits or cracks, no pallets with composite blocks | | | | |
| <u>.</u> | Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively Chips on the bottom deck elements must be within 25 mm and 50 mm respectively | | | | |
| | Qu | ality Responsibility on Load Issued | | | |
| Name: | A. C | - Molere | | | |
| Title: | CO | 2 F Contoller |] dikongile] 01/03/24 | | |
| Date: | 01 | 103/2024/ | 01/03/24 | | |
| Signature: | | | <u> </u> | | |