

## GRT GOODS RECEIVED AND TRANSFERRED

Control No.:	3038899081
Date:	07/04/24
Time:	18H41
Return Date:	
Contact Name:	
Contact Tel.:	

GRT 80244

-		 				 <b>-</b> 20 0000			
	t	î			1			4055904	ITEM CODE
							Ā	New Chep	DESCRIPTION
									MON
								084	QTY.
									TO BE RETURNED
									TO BE BIN RETURNED LOCATION
									DOC. REF. NO.
Prestiga 130F			CEU, 6732765-215	Signi, He	Driver Shadrack	Reg(JBD 352 1=5		Trens! LIR	NOTES



07 Apr 2024 Page 1/1 ORIGINAL

CHEP South Africa (Pty) Ltd VAT REG NO.: 4430103269 CO REG NO.: 1957/003310/07

## ISSUE NOTE

Issued To: 101032817 Transporter: Sales Order: ZAB1 - Heineken Beverages Tel: 3038899081 Primary A Fax: Delivery Number: 1 De Man Street Klipriver Subc: L/R 3696080525 Business Driver: Customer Ref: SHANDRACK73071059740 HEINEKEN SEDI Klipriver Vehicle ID: JBD352FS Tel: +270102161000 Fax: +270102161022 (0)00 000 Plant: ZA04 Delivery Date: Total Quantity: 480 Alrode 07 Apr 2024 CHEP South Africa Actual Goods Issue Date: Est. Weight: 15,840KG Botha Street 07 Apr 2024 Alrode 6 Time In: 02:00:00 Johannesburg Tel:011 9039650 Time Out: 13:40:55 Fax:011 8785777

Material	Material Description	ActualQty	UOM
1	B1210A-1200x1000 Block Pallet	480	EA
	Internal Use 8001 480		
	CHEP SOUTH AFRICA (PTY) LTD P.O. BOX 123773		

Comments:

/ +270102161000 /

Alrode, 1451

Tel: +27 11 903 9650

Fax: +27 31 267 8960

Issuing Plant / Receiving Plant

Transporter: L/R

Name:

Drivers Name: SHANDRACK73071059740

Date:

Date:

Signature:

Signature :

CHEP HIRE EQUIPMENT IS NEVER SOLD

A BRAMBLES COMPANY

All transactions with CHEP South Africa (Pty) Ltd. are subject to the Terms and Conditions of Hire Agreement of CHEP South Africa (Pty) Ltd. which are available from CHEP Head Office at 7 Westville Road, Westville 3629, PO Box 514, Westville 3630.



18201

Certificate of Compliance DATE: CERTIFICATE NUMBER: Issue Service Center: Issue Note Reference No: Customer: Received By: Name: Title: Signature: Products: Code 8001 Pooling Pallets Chep guarantees that this load of equipment pooling pallets meets the Compliance: following quality requirements. Raised nails not to exceed 2 mm max protrusion Protruding nails on pallet is not acceptable Pallets are free of transferable contamination i.e. soil, food and chemicals and labels No mould present on pallets - Blue, Green and White mould All pallets not to exceed 10 mm overhang on either side of the pallet There are no missing OR broken top deck or bottom deck boards No splits on bottom deck elements There are no missing blocks or blocks with more than 1/3 portion removed in total There are no blocks with splits or cracks, no pallets with composite blocks Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively Chips on the bottom deck elements must be within 25 mm and 50 mm respectively Quality Responsibility on Load Issued Name: Title: Date:

Signature: