

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

010 010 0551

Rowen@lrta.co.za

Liquor Runners Transport LR TRANSPORT

www.lrsa.co.za

LOAD SHEET INFORMATION - LSID (46117) FOR - 01/05/2024					Bay Number: 58	
Description:						
Route:	Chep Alrode					
Start Km	0					
Instructions:						
Reg. No.	Truck Description	Load Capacity	Driver Name	Dispatcher	Checker	
HJY991FS	ACTROS 2645LS/33C	33	E.S. LUBISI	Xolani		

Customer Name	Invoice / DNote	Principle Name	COD / Account	Special Instruction
CHEP ALRODE	temp63111581	Transport Sedibeng		

LSID - 46117

(1 Invoices)

Weight : 0

Driver Signature: _____

Date Back: _____

Warehouse Signature: Xolani

Time Back: _____

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

Lodewyk.dewet@lrsc.co.za

Liquor Runners Sedibeng SEDIBENG PRIMARY

010 010 0551
www.lrsa.co.za

GRV for CHEP - LRSA NR: 15097 (GRV)

Receiver: Brenda Makhura

Checker: William Letsholo

Warehouse: CHEP ALRODE

Sender Ref 1:

Receive Date: 2024-05-01

WarehouseRecv: SEDIBENG BREWERY

Sender Ref 2: 3039033443

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
Single Units					
4085904	Pallet Rental Wood Chep			0	480
				0.00	480.00
			Total QTY Received	0.00	480.00

Checked By:

Transport Company:

02/05/2024 02:41:16 AM

Receiver:

HJY991FS

Checker:

UYANDA



Driver Signature:



01 May 2024
Page 1/1
ORIGINAL

CHEP South Africa (Pty) Ltd
VAT REG NO.: 4430103269
CO REG NO.: 1957/003310/07

ISSUE NOTE

Issued To: 101032817 ZAB1 - Heineken Beverages Primary A 1 De Man Street Klipriver Business Klipriver Tel: +270102161000 Fax: +270102161022 (0)00 000 0000		Transporter: Tel: Fax: Subc: L/R Driver: XOLANI8403095279087 Vehicle ID: HJY991FS		Sales Order: 3039033443 Delivery Number: 3696242347 Customer Ref: HEINEKEN SEDI	
Plant: ZA04 Alrode CHEP South Africa Botha Street Alrode 6 Johannesburg Tel:011 9039650 Fax:011 8785777		Delivery Date: 01 May 2024 Actual Goods Issue Date: 01 May 2024		Total Quantity: 480 Est. Weight: 15,840KG Time In: 02:00:00 Time Out: 14:48:39	
Material	Material Description			ActualQty	UOM
1	B1210A-1200x1000 Block Pallet <i>Internal Use</i> 8001 480			480	EA
CHEP SOUTH AFRICA (PTY) LTD P.O. Box 123773 Alrode, 1451 Tel: +27 11 903 9650 Fax: +27 31 267 8960					
Comments: / / +270102161000 / 					
Issuing Plant / Receiving Plant Name: Date: Signature:			Transporter: L/R Drivers Name: XOLANI8403095279087 Date: Signature : 		

CHEP HIRE EQUIPMENT IS NEVER SOLD
A BRAMBLES COMPANY

All transactions with CHEP South Africa (Pty) Ltd. are subject to the Terms and Conditions of Hire Agreement of CHEP South Africa (Pty) Ltd. which are available from CHEP Head Office at 7 Westville Road, Westville 3629, PO Box 514, Westville 3630.

991 W10
CHEP

A Brambles Company

18238

Certificate of Compliance

CERTIFICATE NUMBER:

+80

DATE:

01/08/24

Issue Service Center:

2A0X

Issue Note Reference No:

3696242377

Customer:

Received By: Name:

Xolani

Title:

Driver

Signature:

X-Dawgalline

THA 01/05/24

Products:

Code 8001 Pooling Pallets

Compliance:

Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- ☒ Raised nails not to exceed 2 mm max protrusion
- ☒ Protruding nails on pallet is not acceptable
- ☒ Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- ☒ No mould present on pallets - Blue, Green and White mould
- ☒ All pallets not to exceed 10 mm overhang on either side of the pallet
- ☒ There are no missing OR broken top deck or bottom deck boards
- ☒ No splits on bottom deck elements
- ☒ There are no missing blocks or blocks with more than 1/3 portion removed in total
- ☒ There are no blocks with splits or cracks, no pallets with composite blocks
- ☒ Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively
- ☒ Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

Name:

[Signature]

Title:

[Signature]

Date:

01/08/24

Signature:

[Signature]