Sedibeng Brewery Kliprivier'Business Park 1 De Man Road, Midvaal Johannesburg



Sedibeng Brewery Kliprivier Business Park 1 De Man Road, Midvaal Johannesburg

010 010 0551

Lodewyk.dewet@lrsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

Www.trsa.co.za

GRV for CHEP - LRSA NR: 33857 (GRV)

Receiver:

Nokwazi Sidu

Checker:

Phumza Mphafa

Receive Date:

2024-12-13

Warehouse

CHEP ALRODE

WarehouseRecv: SEDIBENG BREWERY

Sender Ref 1:

3040500058

Sender Ref 2:

63819161

| SKU Code | Stock Description | Bin | Batch Number | QTY(Cases) | QTY(Units) | |
|-----------|-------------------------|-----|--------------------|------------|------------|--|
| Stock Rec | eived | | | | | |
| 4085904 | PALLET RENTAL WOOD CHEP | | | 40 | 480 | |
| | | | | 40.00 | 480.00 | |
| | | | Total QTY Received | 40.00 | 480.00 | |



truing Checked By: Transport Company:

Receiver:

HXW221FS

Checker:

MUSA

Driver Signature:

13/12/2024

01:44:12 AM

1/1

PROOF OF DELIVERY

SHIPMENT DATE

13. DEC 2024

CUSTOMER REQUEST

13. DEC 2024 0000 to 2300

A Brambles Company

SENDER Airode

6 Botha Street

Johannesburg GP 1451

RECEIVER ZAB1 - Heineken Beverages Primary A

1 De Man Street Klipriver Business

Klipriver GP 1960

APPOINTMENT:

CHECK IN:

13.12.2024 00:02:49

LOAD COMPLETE:

13.12.2024 00:36:15

CHECK OUT:

13.12.2024 00:44:33

| DELIVERY NUMBER | HAULIER | CHARGES |
|-----------------|------------------|---------|
| 3697966977 | CUSTOMER PICK UP | COLLECT |

ITEM

EQUIPMENT

PLANNED QTY ACTUAL QTY

DESCRIPTION

DELIVERY NO:

SHIPMENT NO:

ORDER DATE:

TYPE:

3697966977

000000000

ISSUE

12. DEC 2024

HAULIER SIGNATURE

000010

CODE

08001

480

480

B1210B 1000X1200 BLOCK PALLET

PRINT NAME musa

CHEP SOUTH AFRICA (PTY) LTD

P.O. Box 123773 - Alrode, 1451

Tel: +27 11 903 9650

Fax: +27 31 267 8960

SENDER LOCATION CODE

RECIEVER LOCATION CODE

VEHICLE REGISTRATION CODE

ZA04

101032817

HXW221FS

ISSUER SIGNATURE

DATE 13. DEC 2024

PRINT NAME Digang Molefe

DATE 13. DEC 2024

HAULIER DELIVERY INSTRUCTIONS

/ /+270102161000/

Digang Molefe 13.12.2024 00:33:41

3040500058

NOTES REF# HEINEKEN SEDI

CALL HELPDESK AT ZA-INFO@CHEP.COM OR CALL 0800330334 IF THERE ARE **ANY PROBLEMS**

(SIGNATURE OF RECEIVER)

NAME

DATE

TOTAL PIECES

480

ESTIMATED WEIGHT

15840 KG

CHEP HIRE EQUIPMENT IS NEVER SOLD

A BRAMBLES COMPANY

All transactions with CHEP South Africa (PTY) Ltd, are subject to the Terms and Conditions of CHEP South Africa (PTY) Ltd, which are Available from CHEP Head Office at 7 Westville Road, Westville 3629, PO BOX 514, Westville 3630. CO REG No. 1957/003310/07



A Brambles Company

Certificate of Compliance

| ERTIFIC | ATE NUMBER : | 480 | DATE: 13/12/2024 | | | |
|------------------------------------|---|---|-------------------------------------|--|--|--|
| ssue Ser | vice Center: | Alrode ZA of | | | | |
| ssue Note Reference No: 3697766977 | | | | | | |
| Sustome | r: Cohisor | no /forestan | | | | |
| Received By: Name: | | | | | | |
| | Title: | Ano- | _ | | | |
| | Signature: | | <u>-</u> | | | |
| | | | | | | |
| Products | : | Code 8001 Pooling Pallets | | | | |
| Complia | nce: | Chep guarantees that this load of following quality requirements. | equipment pooling pallets meets the | | | |
| | Raised nails not | to exceed 2 mm max protrusion | | | | |
| | Protruding nails on pallet is not acceptable | | | | | |
| | Pallets are free of transferable contamination i.e. soil, food and chemicals and labels | | | | | |
| | No mould present on pallets - Blue, Green and White mould | | | | | |
| <u></u> | All pallets not to exceed 10 mm overhang on either side of the pallet | | | | | |
| | There are no missing OR broken top deck or bottom deck boards | | | | | |
| | No splits on bottom deck elements There are no missing blocks or blocks with more than 1/3 portion removed in total | | | | | |
| | There are no bl | There are no blocks with splits or cracks, no pallets with composite blocks | | | | |
| | Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively Chips on the bottom deck elements must be within 25 mm and 50 mm respectively | | | | | |
| | G | Quality Responsibility on Load Issued | i | | | |
| Name: | Z | S. 14/0/1965 | _ _ | | | |
| Title: | C | OP Contollan | | | | |
| Date: | 13 | 5/12/202/4 | | | | |
| Signatı | ure: | 75 | | | | |