

13879

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

010 010 0551

Lodewyk.dewet@lrso.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

Www.lrsa.co.za

GRV for RETURNABLES - LRSA NR: 33985 (GRV)

Receiver:	Nancy Maboka	Receive Date:	2024-12-14
Checker:	Sibongile Mvelase	WarehouseRecv:	SEDIBENG BREWERY
Warehouse	CHEP ALRODE	Sender Ref 2:	3040508546
Sender Ref 1:	3040508546		

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
Stock Received					
4085904	PALLET RENTAL WOOD CHEP			40	480
				40.00	480.00
			Total QTY Received	40.00	480.00

63825980

Checked By: Sibongile
Transport Company: LR

Receiver: MUZ817FS
Checker: XOLANI
Driver Signature: X D Mvelase

14/12/2024 05:17:11 PM



24991

A Brambles Company

Certificate of Compliance

CERTIFICATE NUMBER :

480

DATE:

18.12.2024

Issue Service Center:

ZADU - ALRODE

Issue Note Reference No:

30408085 46

Customer: HENKON

Received By: Name:

XOLANI

Title:

DRIVER

Signature:

X. D. M. G. M. G.

CHEP SOUTH AFRICA (PTY) LTD

P.O. Box 123773

Alrode, 1451

Tel: +27 11 003 9650

Fax: +27 31 267 8960

Products:

Code 8001 Pooling Pallets

Compliance:

Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- ☒ Raised nails not to exceed 2 mm max protrusion
- ☒ Protruding nails on pallet is not acceptable
- ☒ Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- ☒ No mould present on pallets – Blue, Green and White mould
- ☒ All pallets not to exceed 10 mm overhang on either side of the pallet
- ☒ There are no missing OR broken top deck or bottom deck boards
No splits on bottom deck elements
- ☒ There are no missing blocks or blocks with more than 1/3 portion removed in total
- ☒ There are no blocks with splits or cracks, no pallets with composite blocks
- ☒ Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

18.12.2024

Name of driver

18.12.2024

Signature