

155  
Sedibeng Brewery  
Kliprivier Business Park  
1 De Man Road, Midvaal  
Johannesburg

Sedibeng Brewery  
Kliprivier Business Park  
1 De Man Road, Midvaal  
Johannesburg

Lodewyk.dewet@lrsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

010 010 0551

Www.lrsa.co.za

**GRV for CHEP - LRSA NR: 35767 (GRV)**

**Receiver:** Ntshepiseng Mahlasane

**Receive Date:** 2025-01-05

**Checker:** Chris Ramoshaba

**WarehouseRecv:** SEDIBENG BREWERY

**Warehouse:** CHEP ALRODE

**Sender Ref 2:** 3040608982

**Sender Ref 1:** 63874607

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
<b>Stock Received</b>					
4085904	PALLET RENTAL WOOD CHEP			40	480
				40.00	480.00
			Total QTY Received	40.00	480.00

Checked By: \_\_\_\_\_

Ntshepiseng  
Up

Tested and Corrected

05/01/2025 11:40:37 AM

**Receiver:** \_\_\_\_\_

Ntshepiseng

**Checker:** \_\_\_\_\_

UYANDA

**Driver Signature:** \_\_\_\_\_



1/1

A Brambles Company

## Certificate of Compliance

CERTIFICATE NUMBER : **480** DATE: **05/01/2025**Issue Service Center: **ZA 04 Alrode**Issue Note Reference No: **3698096587**Customer: **HEINEKEN**Received By: Name: **Ulynde** CHEP SOUTH AFRICA (PTY) LTD  
Title: **Driver** P.O. Box 123773  
Signature: **[Signature]** Alrode, 1451  
Tel: +27 11 903 9650  
Fax: +27 31 267 8960

Products: Code 8001 Pooling Pallets

Compliance: Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- Raised nails not to exceed 2 mm max protrusion
- Protruding nails on pallet is not acceptable
- Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- No mould present on pallets – Blue, Green and White mould
- All pallets not to exceed 10 mm overhang on either side of the pallet
- There are no missing OR broken top deck or bottom deck boards  
No splits on bottom deck elements
- There are no missing blocks or blocks with more than 1/3 portion removed in total
- There are no blocks with splits or cracks, no pallets with composite blocks
- Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively  
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

## Quality Responsibility on Load Issued

Name: **Maggi**Title: **Inventory Controller**Date: **05/01/2025**Signature: **[Signature]**

**ISSUE NOTE**

<b>Issued To:</b> 101032817 ZAB1 - Heineken Beverages Primary A 1 De Man Street Klipriver Business  Klipriver Tel: +270102161000 Fax: +270102161022 (0)00 000 0000	<b>Transporter:</b> Tel: Fax: Subc: LIQUOR RUNNER TRANSPORT Driver: UYANDA921205554080 Vehicle ID: HJZ819FS	<b>Sales Order:</b> 3040608982 <b>Delivery Number:</b> 3698096587 <b>Customer Ref:</b> HEINEKEN SEDI
<b>Plant:</b> ZA04 Alrode CHEP South Africa Botha Street Alrode 6 Johannesburg Tel: 011 9039650 Fax: 011 8785777	<b>Delivery Date:</b> 05 Jan 2025 <b>Actual Goods Issue Date:</b> 05 Jan 2025	<b>Total Quantity:</b> 480 <b>Est. Weight:</b> 15,840KG <b>Time In:</b> 02:00:00 <b>Time Out:</b> 09:52:44

Material	Material Description	ActualQty	UOM
1	B1210A-1200x1000 Block Pallet  Internal Use 8001 480	480	EA

**CHEP SOUTH AFRICA (PTY) LTD**  
P.O. Box 123773  
Alrode, 1451  
Tel: +27 11 903 9650  
Fax: +27 31 267 8960

<b>Comments:</b> / / +270102161000 /	<i>05/01/25</i>
---	-----------------

<b>Issuing Plant / Receiving Plant</b>  Name: <i>Max</i> Date: <i>05/01/2025</i> Signature: <i>[Signature]</i>	<b>Transporter:</b> LIQUOR RUNNER TRANSPORT  Drivers Name: UYANDA921205554080 Date: <i>[Signature]</i>
--	---

CHEP HIRE EQUIPMENT IS NEVER SOLD

A BRAMBLES COMPANY