

New chep

ISS

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Liquor Runners

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

Lodewyk.dewet@lrsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

010 010 0551

Www.lrsa.co.za

GRV for CHEP - LRSA NR: 35675 (GRV)

Receiver: Chris Ramoshaba

Checker: Ntshepiseng Mahlasane

Warehouse: CHEP ALRODE

Sender Ref 1: 3040609009

Receive Date: 2025-01-04

Warehouse Recv: SEDIBENG BREWERY

Sender Ref 2: 3040609009

63874620

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
----------	-------------------	-----	--------------	------------	------------

Stock Received

4085904	PALLET RENTAL WOOD CHEP			40	480
				40.00	480.00
			Total QTY Received	40.00	480.00

Checked By:

Ntsheni

Transport Company:

L/R

Receiver:

Checker:

SWELANI

Driver Signature:

31 01 2025 09:57:15 AM



A Brambles Company

04 Jan 2025
Page 1/1
ORIGINAL

CHEP South Africa (Pty) Ltd
VAT REG NO.: 4430103269
CO REG NO.: 1957/003310/07

ISSUE NOTE

Issued To: 101032817 ZAB1 - Heineken Beverages Primary A 1 De Man Street Klipriver Business Klipriver Tel: +270102161000 Fax: +270102161022 (0)00 000 0000	Transporter: Tel: Fax: Sub: 0000999999 Driver: Vehicle ID: HLL 806 FS	Sales Order: 3040609009 Delivery Number: 3698102060 Customer Ref: HEINEKEN SEDI
Plant: ZA04 Alrode CHEP South Africa Botha Street Alrode 6 Johannesburg Tel:011 9039650 Fax:011 8785777	Delivery Date: 04 Jan 2025 Actual Goods Issue Date: 04 Jan 2025	Total Quantity: 480 Est. Weight: 15,840KG Time In: 02:00:00 Time Out: 01:41:30

CHEP SOUTH AFRICA (PTY) LTD
 P.O. Box 223773
 Alrode, 1451
 Tel: +27 11 903 9650
 Fax: +27 31 257 8960

Material	Material Description	ActualQty	UOM
1	B1210A-1200x1000 Block Pallet	480	EA
	<i>Internal Use</i> 8001 480		

Comments:

/ / +270102161000 /Hlelani Khumalo 04.01.2025 01:40:333040609009

10/01/25

Issuing Plant / Receiving Plant Name: Date:	Transporter: 0000999999 Drivers Name: <i>LEBOHANG</i> Date: <i>04/01/2024</i>
--	--

A BRAMBLES COMPANY

PO Box 514, Westville 3630.



A Brambles Company

Certificate of Compliance

CERTIFICATE NUMBER: 480

DATE: 04/01/2025

Issue Service Center: ALRODE

Issue Note Reference No: 3698102060

Customer:

Received By: Name: LESOHANG RADEBE
Title: DRIVER
Signature: [Signature]

Products: Code 8001 Pooling Pallets

Compliance: Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- Raised nails not to exceed 2 mm max protrusion
- Protruding nails on pallet is not acceptable
- Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- No mould present on pallets – Blue, Green and White mould
- All pallets not to exceed 10 mm overhang on either side of the pallet
- There are no missing OR broken top deck or bottom deck boards
No splits on bottom deck elements
- There are no missing blocks or blocks with more than 1/3 portion removed in total
- There are no blocks with splits or cracks, no pallets with composite blocks
- Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

Name: [Signature]

480 1/01/2025

[Signature]

Signature: [Signature]