

16330

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

010 010 0551

Lodewyk.dewet@lrsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

www.lrsa.co.za

GRV for RETURNABLES - LRSA NR: 37617 (GRV)

Receiver:	Sibongile Mvelase	Receive Date:	2025-01-28
Checker:	Ntshepiseng Mahlasane	WarehouseRecv:	SEDIBENG BREWERY
Warehouse	CHEP ALRODE	Sender Ref 1:	3040771563
Sender Ref 2:	3040771563		

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
Stock Received					
4085904	PALLET RENTAL WOOD CHEP			40	480
				40.00	480.00
			Total QTY Received	40.00	480.00

63946327

Checked By: Ntshepiseng Mahlasane

Transport Company: WLR

Receiver: HJ2817FS

Checker: XOLANI

Driver Signature: X. Shigaduka

28/01/2025 05:15:48 PM



A Brambles Company

28 Jan 2025
Page 1/1
ORIGINAL

CHEP South Africa (Pty) Ltd
VAT REG NO.: 4430103269
CO REG NO.: 1957/003310/07

ISSUE NOTE

Issued To: 101032817 ZAB1 - Heineken Beverages Primary A 1 De Man Street Klipriver Business Klipriver Tel: +270102161000 Fax: +270102161022 (0)00 000 0000	Transporter: Tel: Fax: Subc: 0000999999 Driver: XOLANI Vehicle ID: HJZ817FS	Sales Order: 3040771563 Delivery Number: 3698278433 Customer Ref: HEINEKEN SEDI
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

Plant: ZA04 Alrode CHEP South Africa Botha Street Alrode 6 Johannesburg Tel:011 9039650 Fax:011 8785777	Delivery Date: 28 Jan 2025 Actual Goods Issue Date: 28 Jan 2025	Total Quantity: 480 Est. Weight: 15,840KG Time In: 02:00:00 Time Out: 13:35:24
-------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------

Material	Material Description	ActualQty	UOM
1	B1210A-1200x1000 Block Pallet <i>Internal Use</i> 8001 480 CHEP SOUTH AFRICA (PTY) LTD P.O. Box 123773 Alrode, 1451 Tel: +27 11 903 9650 Fax: +27 31 267 8960	480	EA

Comments:
 / / +270102161000 /Malibongwe Gqosha 28.01.2025 13:34:50Xolani HJZ817FS 3040771563

u.s. 28/1/25

Issuing Plant / Receiving Plant Name: <i>Mason</i> Date: <i>28/1/2025</i> Signature: <i>[Signature]</i>	Transporter: 0000999999 Drivers Name: XOLANI Date: Signature: <i>X-Dhagane</i>
-----------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------

CHEP HIRE EQUIPMENT IS NEVER SOLD
A BRAMBLES COMPANY

All transactions with CHEP South Africa (pty) Ltd. are subject to the terms and conditions of hire Agreement of CHEP South Africa (Pty) Ltd. which are available from CHEP Head Office at 7 Westville Road, Westville 3

A Brambles Company

Certificate of Compliance

CERTIFICATE NUMBER: 480

DATE: 28/01/2025

Issue Service Center: ALRODE ZA 04

Issue Note Reference No: 3698278433

Customer: HENCKEN

Received By: Name: Xolani

CHEP SOUTH AFRICA (PTY) LTD

Title: OWNER

P.O. Box 123773

Alrode, 1451

Signature: X. D. Maguema

Tel: +27 11 903 9650

Fax: +27 31 267 8960

Products: Code 8001 Pooling Pallets

Compliance: Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- Raised nails not to exceed 2 mm max protrusion
- Protruding nails on pallet is not acceptable
- Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- No mould present on pallets - Blue, Green and White mould
- All pallets not to exceed 10 mm overhang on either side of the pallet
- There are no missing OR broken top deck or bottom deck boards
No splits on bottom deck elements
- There are no missing blocks or blocks with more than 1/3 portion removed in total
- There are no blocks with splits or cracks, no pallets with composite blocks
- Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

Name: Brown

Title: Yard controller

Date: 28/01/2025

Signature: [Signature]