

#17400

Sedibeng Brewery  
Kliprivier Business Park  
1 De Man Road, Midvaal  
Johannesburg



Sedibeng Brewery  
Kliprivier Business Park  
1 De Man Road, Midvaal  
Johannesburg

Lodewyk.dewet@lrsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

010 010 0551  
www.lrsa.co.za

**GRV for CHEP - LRSA NR: 40653 (GRV)**

<b>Receiver:</b>	Chris Ramoshaba	<b>Receive Date:</b>	2025-03-09
<b>Checker:</b>	Ntshepiseng Mahlasane	<b>WarehouseRecv:</b>	SEDIBENG BREWERY
<b>Warehouse</b>	CHEP ALRODE	<b>Sender Ref 1:</b>	3041026046
<b>Sender Ref 1:</b>	3041026046	<b>Sender Ref 2:</b>	3041026046

64070780

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
<b>Stock Received</b>					
4085904	PALLET RENTAL WOOD CHEP			40	480
				40.00	480.00
			<b>Total QTY Received</b>	<b>40.00</b>	<b>480.00</b>

Checked By: Ntshepiseng

Transport Company: LIR

09/03/2025 08:48:42 AM

**Receiver:** HWT891FS

**Checker:** MXOLISI

**Driver Signature:**



A Brambles Company

## Certificate of Compliance

CERTIFICATE NUMBER: 480 DATE: 08. MAR 2025Issue Service Center: ZAOL-ALRODEIssue Note Reference No: 3698 583 836Customer: HEINGKENReceived By: Name: MxolisiTitle: DRIVERSignature: [Signature]

Products: Code 8001 Pooling Pallets

Compliance: Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- Raised nails not to exceed 2 mm max protrusion
- Protruding nails on pallet is not acceptable
- Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- No mould present on pallets – Blue, Green and White mould
- All pallets not to exceed 10 mm overhang on either side of the pallet
- There are no missing OR broken top deck or bottom deck boards  
No splits on bottom deck elements
- There are no missing blocks or blocks with more than 1/3 portion removed in total
- There are no blocks with splits or cracks, no pallets with composite blocks
- Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively  
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

## Quality Responsibility on Load Issued

Name: LEBOGANGTitle: YARD - CONTROLLERDate: 08. MARCH 2025Signature: [Signature]

CHEP SOUTH AFRICA (PTY) LTD  
P.O. Box 123773  
Alrode, 1451  
Tel: +27 11 903 9650  
Fax: +27 31 267 8960