

352

#17362

Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg



Sedibeng Brewery
Kliprivier Business Park
1 De Man Road, Midvaal
Johannesburg

010 010 0551

Lodewyk.dewet@lrsa.co.za

Liquor Runners Sediben SEDIBENG PRIMARY

Www.lrsa.co.za

GRV for CHEP - LRSA NR: 40628 (GRV)

Receiver:	Chris Ramoshaba	Receive Date:	2025-03-08
Checker:	William Letsholo	WarehouseRecv:	SEDIBENG BREWERY
Warehouse	CHEP ALRODE	Sender Ref 1:	3041026042
Sender Ref 2:	3041026042	Sender Ref 2:	3041026042

64070785

SKU Code	Stock Description	Bin	Batch Number	QTY(Cases)	QTY(Units)
Stock Received					
4085904	PALLET RENTAL WOOD CHEP			40	480
				40.00	480.00
			Total QTY Received	40.00	480.00

Checked By: *P. Ramo*

Transport Company: *LP*

Receiver: JBD 352 FS

Checker: MFUNDO

Driver Signature: *[Signature]*

08/03/2025 11:18:06 AM

A Brambles Company

Certificate of Compliance

CERTIFICATE NUMBER: 480

DATE: 08. MAR. 2022

Issue Service Center: ZADU-ACRODE

Issue Note Reference No: 304 026 042

Customer: Heronkron

Received By: Name: M Rundo

Title: Driver

Signature: [Signature]

CHEP SOUTH AFRICA (PTY) LTD
P.O. Box 123773
Atteridgeville, 1451
Tel: 477 11 908 3650
Fax: 477 31 267 2090

Products: Code 8001 Pooling Pallets

Compliance: Chep guarantees that this load of equipment pooling pallets meets the following quality requirements.

- Raised nails not to exceed 2 mm max protrusion
- Protruding nails on pallet is not acceptable
- Pallets are free of transferable contamination i.e. soil, food and chemicals and labels
- No mould present on pallets – Blue, Green and White mould
- All pallets not to exceed 10 mm overhang on either side of the pallet
- There are no missing OR broken top deck or bottom deck boards
No splits on bottom deck elements
- There are no missing blocks or blocks with more than 1/3 portion removed in total
- There are no blocks with splits or cracks, no pallets with composite blocks
- Pallet chips on leading edge boards must be within the PQS standard of 40 mm and 25 mm respectively
Chips on the bottom deck elements must be within 25 mm and 50 mm respectively

Quality Responsibility on Load Issued

Name: LEBOGANG

Title: TADS - Controller

Date: 08. MARCH 2022

Signature: [Signature]