

C/o Range rd & Anfield rd
Blackheath
Kuilsrivier
Cape Town



C/o Range rd & Anfield rd
Blackheath
Kuilsrivier
Cape Town

(021) 903 3880

Liquor Runners Cape Town

(021) 903 8874

Pieter@lrsc.co.za

Http://www.lrsa.co.za

IBT INSTRUCTION / DISPATCH NOTE
CONSIGNEE - LIQUOR RUNNERS CLAYVILLE IBT - JHB

BLUCPT

TOTAL QUANTITY FOR IBT: 120

REFERENCE NUMBERS

Number of Pallets: 0

KT18497

IBT SPECIAL INSTRUCTIONS

SEALS:205913-2023928

Transport

VITAL LINEHAUL

Driver Name: VELLY

Truck Reg Nr:

KN 70 SLGP


IBT Date:

2023-12-01

IBT Time:

11:30

Expected Delivery Date: 2023-12-04

Driver Signature: 

LR Signature: _____

LRSA SINGLE PICK SLIP FOR INTER BRANCH TRANSFER

1371116

KT18497

LIQUOR RUNNERS CLAYVILLE IBT - JHB TO RECEIVE 0 PALLETS

St Code	St Desc	Pack Size	Unit	Units QTY
---------	---------	-----------	------	-----------

BLUCPT

LIQUOR RUNNERS CLAYVILLE IBT - JHB

EA 4

PRO1052 Gold Prosecco Magnum

EA 4

Total Cases:

Total Pallets:

4
0

Picked By: _____

Thursday 30 November 2023

Checked By:

Doonan - 30/11/2023

LRSA SINGLE PICK SLIP FOR INTER BRANCH TRANSFER

1371116

KT18497

LIQUOR RUNNERS CLAYVILLE IBT - JHB TO RECEIVE 0 PALLETS

St Code	St Desc	Pack Size	Unit	Units QTY
---------	---------	-----------	------	-----------

BLUCPT

LIQUOR RUNNERS CLAYVILLE IBT - JHB

EA	4		EA	4
----	---	--	----	---

PRO1052	Gold Prosecco Magnum			
---------	----------------------	--	--	--

Total Cases:

Total Pallets:

4	4
0	0

Picked By: hl acd

Thursday 30 November 2023

COPY

Checked By: _____

CK: 200512646223
VAT: 4890229612
TEL: 0027 21 554 4831
CELL: 0027 81 357 0419
Liquor License: RG0002675

PROFUMI D'ITALIA MARKETING CC
82 Ascot Road
Milnerton
7441
Cape Town

Transfer Document

Date 28/11/23
Page 1
Reference No. KT18497

From Store: Liquor Runners Cape Town
Liquor Runners Cape Town
Conner Range Rd & Anfield
Blackheath
Cape Town
TEL: 021 903 8874

To Store: Liquor Runners JHB
Warehouse 1 ,21 Industrial Par
19 Purlin Street
North Ext 6
Sterkfontein,Clayville
Contact Happy 012 010 3142

Code	Description	Unit	Quantity	Unit Price	Value
1052	Gold Prosecco 1,5 litre Magnum	EACH	4	547.99	2 191.96

Received in good order

Signed _____

Date _____

© Sage South Africa (Pty) Ltd

4

Total

2 191.96

LRSA VARIANCE REPORT FOR SINGLE INVOICE

1371116

LIQUOR RUNNERS CLAYVILLE IBT - JHB TO RECEIVE 0 PALLETS

KT18497

Scanned	St Code	St Desc	PackSize	Unit	Units QTY	Scan QTY	Variance
	PRO1052	Gold Prosecco Magnum		EA	4	4	0
					4.00	4.00	0.00

DRIVING LICENCE **SOUTH AFRICA**

CARTÃO DE CONDUAÇÃO
VIRILOKOTHWAYO

ID No: 02/851125454080 **HALE**

Birth: 12/04/1985 **ZA** Restriction: 0

Licence Number: 401700816SL3 No. 1

Valid: 20/03/2023 - 19/03/2028

Issued: 28/10/2011

Code: 05C

Vehicle Restriction: 0

First Issue: 28/10/2011

Prof. driving test: G.P.

Expiry date: 16/03/2025

DRIVER RESTRICTIONS

1. Name: [Redacted]
2. Surname / Capital letters: [Redacted]
3. Apical letter: [Redacted]

VEHICLE RESTRICTIONS

1. Pass
2. Automatic transmission
3. Electronically powered
4. Electronically assisted
5. 200 x 1500 kg (GVW) permitted

VEHICLE CATEGORIES

A 160 - 125 cc

B 125 cc - 350 cc

C 350 cc - 1000 cc

EB 1000 cc - 1400 cc

EC 1400 cc - 1600 cc

EC1 1600 cc - 1800 cc

EC2 1800 cc - 2000 cc

EC3 2000 cc - 2200 cc

EC4 2200 cc - 2400 cc

EC5 2400 cc - 2600 cc

EC6 2600 cc - 2800 cc

EC7 2800 cc - 3000 cc

EC8 3000 cc - 3200 cc

EC9 3200 cc - 3400 cc

EC10 3400 cc - 3600 cc

EC11 3600 cc - 3800 cc

EC12 3800 cc - 4000 cc

EC13 4000 cc - 4200 cc

EC14 4200 cc - 4400 cc

EC15 4400 cc - 4600 cc

EC16 4600 cc - 4800 cc

EC17 4800 cc - 5000 cc

EC18 5000 cc - 5200 cc

EC19 5200 cc - 5400 cc

EC20 5400 cc - 5600 cc

EC21 5600 cc - 5800 cc

EC22 5800 cc - 6000 cc

EC23 6000 cc - 6200 cc

EC24 6200 cc - 6400 cc

EC25 6400 cc - 6600 cc

EC26 6600 cc - 6800 cc

EC27 6800 cc - 7000 cc

EC28 7000 cc - 7200 cc

EC29 7200 cc - 7400 cc

EC30 7400 cc - 7600 cc

EC31 7600 cc - 7800 cc

EC32 7800 cc - 8000 cc

EC33 8000 cc - 8200 cc

EC34 8200 cc - 8400 cc

EC35 8400 cc - 8600 cc

EC36 8600 cc - 8800 cc

EC37 8800 cc - 9000 cc

EC38 9000 cc - 9200 cc

EC39 9200 cc - 9400 cc

EC40 9400 cc - 9600 cc

EC41 9600 cc - 9800 cc

EC42 9800 cc - 10000 cc

EC43 10000 cc - 10200 cc

EC44 10200 cc - 10400 cc

EC45 10400 cc - 10600 cc

EC46 10600 cc - 10800 cc

EC47 10800 cc - 11000 cc

EC48 11000 cc - 11200 cc

EC49 11200 cc - 11400 cc

EC50 11400 cc - 11600 cc

EC51 11600 cc - 11800 cc

EC52 11800 cc - 12000 cc

EC53 12000 cc - 12200 cc

EC54 12200 cc - 12400 cc

EC55 12400 cc - 12600 cc

EC56 12600 cc - 12800 cc

EC57 12800 cc - 13000 cc

EC58 13000 cc - 13200 cc

EC59 13200 cc - 13400 cc

EC60 13400 cc - 13600 cc

EC61 13600 cc - 13800 cc

EC62 13800 cc - 14000 cc

EC63 14000 cc - 14200 cc

EC64 14200 cc - 14400 cc

EC65 14400 cc - 14600 cc

EC66 14600 cc - 14800 cc

EC67 14800 cc - 15000 cc

EC68 15000 cc - 15200 cc

EC69 15200 cc - 15400 cc

EC70 15400 cc - 15600 cc

EC71 15600 cc - 15800 cc

EC72 15800 cc - 16000 cc

EC73 16000 cc - 16200 cc

EC74 16200 cc - 16400 cc

EC75 16400 cc - 16600 cc

EC76 16600 cc - 16800 cc

EC77 16800 cc - 17000 cc

EC78 17000 cc - 17200 cc

EC79 17200 cc - 17400 cc

EC80 17400 cc - 17600 cc

EC81 17600 cc - 17800 cc

EC82 17800 cc - 18000 cc

EC83 18000 cc - 18200 cc

EC84 18200 cc - 18400 cc

EC85 18400 cc - 18600 cc

EC86 18600 cc - 18800 cc

EC87 18800 cc - 19000 cc

EC88 19000 cc - 19200 cc

EC89 19200 cc - 19400 cc

EC90 19400 cc - 19600 cc

EC91 19600 cc - 19800 cc

EC92 19800 cc - 20000 cc

EC93 20000 cc - 20200 cc

EC94 20200 cc - 20400 cc

EC95 20400 cc - 20600 cc

EC96 20600 cc - 20800 cc

EC97 20800 cc - 21000 cc

EC98 21000 cc - 21200 cc

EC99 21200 cc - 21400 cc

EC100 21400 cc - 21600 cc

EC101 21600 cc - 21800 cc

EC102 21800 cc - 22000 cc

EC103 22000 cc - 22200 cc

EC104 22200 cc - 22400 cc

EC105 22400 cc - 22600 cc

EC106 22600 cc - 22800 cc

EC107 22800 cc - 23000 cc

EC108 23000 cc - 23200 cc

EC109 23200 cc - 23400 cc

EC110 23400 cc - 23600 cc

EC111 23600 cc - 23800 cc

EC112 23800 cc - 24000 cc

EC113 24000 cc - 24200 cc

EC114 24200 cc - 24400 cc

EC115 24400 cc - 24600 cc

EC116 24600 cc - 24800 cc

EC117 24800 cc - 25000 cc

EC118 25000 cc - 25200 cc

EC119 25200 cc - 25400 cc

EC120 25400 cc - 25600 cc

EC121 25600 cc - 25800 cc

EC122 25800 cc - 26000 cc

EC123 26000 cc - 26200 cc

EC124 26200 cc - 26400 cc

EC125 26400 cc - 26600 cc

EC126 26600 cc - 26800 cc

EC127 26800 cc - 27000 cc

EC128 27000 cc - 27200 cc

EC129 27200 cc - 27400 cc

EC130 27400 cc - 27600 cc

EC131 27600 cc - 27800 cc

EC132 27800 cc - 28000 cc

EC133 28000 cc - 28200 cc

EC134 28200 cc - 28400 cc

EC135 28400 cc - 28600 cc

EC136 28600 cc - 28800 cc

EC137 28800 cc - 29000 cc

EC138 29000 cc - 29200 cc

EC139 29200 cc - 29400 cc

EC140 29400 cc - 29600 cc

EC141 29600 cc - 29800 cc

EC142 29800 cc - 30000 cc

EC143 30000 cc - 30200 cc

EC144 30200 cc - 30400 cc

EC145 30400 cc - 30600 cc

EC146 30600 cc - 30800 cc

EC147 30800 cc - 31000 cc

EC148 31000 cc - 31200 cc

EC149 31200 cc - 31400 cc

EC150 31400 cc - 31600 cc

EC151 31600 cc - 31800 cc

EC152 31800 cc - 32000 cc

EC153 32000 cc - 32200 cc

EC154 32200 cc - 32400 cc

EC155 32400 cc - 32600 cc

EC156 32600 cc - 32800 cc

EC157 32800 cc - 33000 cc

EC158 33000 cc - 33200 cc

EC159 33200 cc - 33400 cc

EC160 33400 cc - 33600 cc

EC161 33600 cc - 33800 cc

EC162 33800 cc - 34000 cc

EC163 34000 cc - 34200 cc

EC164 34200 cc - 34400 cc

EC165 34400 cc - 34600 cc

EC166 34600 cc - 34800 cc

EC167 34800 cc - 35000 cc

EC168 35000 cc - 35200 cc

EC169 35200 cc - 35400 cc

EC170 35400 cc - 35600 cc

EC171 35600 cc - 35800 cc

EC172 35800 cc - 36000 cc

EC173 36000 cc - 36200 cc

EC174 36200 cc - 36400 cc

EC175 36400 cc - 36600 cc

EC176 36600 cc - 36800 cc

EC177 36800 cc - 37000 cc

EC178 37000 cc - 37200 cc

EC179 37200 cc - 37400 cc

EC180 37400 cc - 37600 cc

EC181 37600 cc - 37800 cc

EC182 37800 cc - 38000 cc

EC183 38000 cc - 38200 cc

EC184 38200 cc - 38400 cc

EC185 38400 cc - 38600 cc

EC186 38600 cc - 38800 cc

EC187 38800 cc - 39000 cc

EC188 39000 cc - 39200 cc

EC189 39200 cc - 39400 cc

EC190 39400 cc - 39600 cc

EC191 39600 cc - 39800 cc

EC192 39800 cc - 40000 cc

EC193 40000 cc - 40200 cc

EC194 40200 cc - 40400 cc

EC195 40400 cc - 40600 cc

EC196 40600 cc - 40800 cc

EC197 40800 cc - 41000 cc

EC198 41000 cc - 41200 cc

EC199 41200 cc - 41400 cc

EC200 41400 cc - 41600 cc

EC201 41600 cc - 41800 cc

EC202 41800 cc - 42000 cc

EC203 42000 cc - 42200 cc

EC204 42200 cc - 42400 cc

EC205 42400 cc - 42600 cc

EC206 42600 cc - 42800 cc

EC207 42800 cc - 43000 cc

EC208 43000 cc - 43200 cc

EC209 43200 cc - 43400 cc

EC210 43400 cc - 43600 cc

EC211 43600 cc - 43800 cc

EC212 43800 cc - 44000 cc

EC213 44000 cc - 44200 cc

EC214 44200 cc - 44400 cc

EC215 44400 cc - 44600 cc

EC216 44600 cc - 44800 cc

EC217 44800 cc - 45000 cc

EC218 45000 cc - 45200 cc

EC219 45200 cc - 45400 cc

EC220 45400 cc - 45600 cc

EC221 45600 cc - 45800 cc

EC222 45800 cc - 46000 cc

EC223 46000 cc - 46200 cc

EC224 46200 cc - 46400 cc

EC225 46400 cc - 46600 cc

EC226 46600 cc - 46800 cc

EC227 46800 cc - 47000 cc

EC228 47000 cc - 47200 cc

EC229 47200 cc - 47400 cc

EC230 47400 cc - 47600 cc

EC231 47600 cc - 47800 cc

EC232 47800 cc - 48000 cc

EC233 48000 cc - 48200 cc

EC234 48200 cc - 48400 cc

EC235 48400 cc - 48600 cc

EC236 48600 cc - 48800 cc

EC237 48800 cc - 49000 cc

EC238 49000 cc - 49200 cc

EC239 49200 cc - 49400 cc

EC240 49400 cc - 49600 cc

EC241 49600 cc - 49800 cc

EC242 49800 cc - 50000 cc

EC243 50000 cc - 50200 cc

EC244 50200 cc - 50400 cc

EC245 50400 cc - 50600 cc

EC246 50600 cc - 50800 cc

EC247 50800 cc - 51000 cc

EC248 51000 cc - 51200 cc

EC249 51200 cc - 51400 cc

EC250 51400 cc - 51600 cc

EC251 51600 cc - 51800 cc

EC252 51800 cc - 52000 cc

EC253 52000 cc - 52200 cc

EC254 52200 cc - 52400 cc

EC255 52400 cc - 52600 cc

EC256 52600 cc - 52800 cc

EC257 52800 cc - 53000 cc

EC258 53000 cc - 53200 cc

EC259 53200 cc - 53400 cc

EC260 53400 cc - 53600 cc

EC261 53600 cc - 53800 cc

EC262 53800 cc - 54000 cc

EC263 54000 cc - 54200 cc

EC264 54200 cc - 54400 cc

EC265 54400 cc - 54600 cc

EC266 54600 cc - 54800 cc

EC267 54800 cc - 55000 cc

EC268 55000 cc - 55200 cc

EC269 55200 cc - 55400 cc

EC270 55400 cc - 55600 cc

EC271 55600 cc - 55800 cc

EC272 55800 cc - 56000 cc

EC273 56000 cc - 56200 cc

EC274 56200 cc - 56400 cc

EC275 56400 cc - 56600 cc

EC276 56600 cc - 56800 cc

EC277 56800 cc - 57000 cc

EC278 57000 cc - 57200 cc

EC279 57200 cc - 57400 cc

EC280 57400 cc - 57600 cc

EC281 57600 cc - 57800 cc

EC282 57800 cc - 58000 cc

EC283 58000 cc - 58200 cc

EC284 58200 cc - 58400 cc

EC285 58400 cc - 58600 cc

EC286 58600 cc - 58800 cc

EC287 58800 cc - 59000 cc

EC288 59000 cc - 59200 cc

EC289 59200 cc - 59400 cc

EC290 59400 cc - 59600 cc

EC291 59600 cc - 59800 cc

EC292 59800 cc - 60000 cc

EC293 60000 cc - 60200 cc

EC294 60200 cc - 60400 cc

EC295 60400 cc - 60600 cc

EC296 60600 cc - 60800 cc

EC297 60800 cc - 61000 cc

EC298 61000 cc - 61200 cc

EC299 61200 cc - 61400 cc

EC300 61400 cc - 61600 cc

EC301 61600 cc - 61800 cc

EC302 61800 cc - 62000 cc

EC303 62000 cc - 62200 cc

EC304 62200 cc - 62400 cc

EC305 62400 cc - 62600 cc

EC306 62600 cc - 62800 cc

EC307 62800 cc - 63000 cc

EC308 63000 cc - 63200 cc

EC309 63200 cc - 63400 cc

EC310 63400 cc - 63600 cc

EC311 63600 cc - 63800 cc

EC312 63800 cc - 64000 cc

EC313 64000 cc - 64200 cc

EC314 64200 cc - 64400 cc

EC315 64400 cc - 64600 cc

EC316 64600 cc - 64800 cc

EC317 64800 cc - 65000 cc

EC318 65000 cc - 65200 cc

EC319 65200 cc - 65400 cc

EC320 65400 cc - 65600 cc

EC321 65600 cc - 65800 cc

EC322 65800 cc - 66000 cc

EC323 66000 cc - 66200 cc

EC324 66200 cc - 66400 cc

EC325 66400 cc - 66600 cc

EC326 66600 cc - 66800 cc

EC327 66800 cc - 67000 cc

EC328 67000 cc - 67200 cc

EC329 67200 cc - 67400 cc

EC330 67400 cc - 67600 cc

EC331 67600 cc - 67800 cc

EC332 67800 cc - 68000 cc

EC333 68000 cc - 68200 cc

EC334 68200 cc - 68400 cc

EC335 68400 cc - 68600 cc

EC336 68600 cc - 68800 cc

EC337 68800 cc - 69000 cc

EC338 69000 cc - 69200 cc

EC339 69200 cc - 69400 cc

EC340 69400 cc - 69600 cc

EC341 69600 cc - 69800 cc

EC342 69800 cc - 70000 cc

EC343 70000 cc - 70200 cc

EC344 70200 cc - 70400 cc

EC345 70400 cc - 70600 cc

EC346 70600 cc - 70800 cc

EC347 70800 cc - 71000 cc

EC348 71000 cc - 71200 cc

EC349 71200 cc - 71400 cc

EC350 71400 cc - 71600 cc

EC351 71600 cc - 71800 cc

EC352 71800 cc - 72000 cc

EC353 72000 cc - 72200 cc

EC354 72200 cc - 72400 cc

EC355 72400 cc - 72600 cc

EC356 72600 cc - 72800 cc

EC357 72800 cc - 73000 cc

EC358 73000 cc - 73200 cc

EC359 73200 cc - 73400 cc

EC360 73400 cc - 73600 cc

EC361 73600 cc - 73800 cc

EC362 73800 cc - 74000 cc

EC363 74000 cc - 74200 cc

EC364 74200 cc - 74400 cc

EC365 74400 cc - 74600 cc

EC366 74600 cc - 74800 cc

EC367 74800 cc - 75000 cc

EC368 75000 cc - 75200 cc

EC369 75200 cc - 75400 cc

EC370 75400 cc - 75600 cc

EC371 75600 cc - 75800 cc

EC372 75800 cc - 76000 cc

EC373 76000 cc - 76200 cc

EC374 76200 cc - 76400 cc

EC375 76400 cc - 76600 cc

EC376 76600 cc - 76800 cc

EC377 76800 cc - 77000 cc

EC378 77000 cc - 77200 cc

EC379 77200 cc - 77400 cc

EC380 77400 cc - 77600 cc

EC381 77600 cc - 77800 cc

EC382 77800 cc - 78000 cc

EC383 78000 cc - 78200 cc

EC384 78200 cc - 78400 cc

EC385 78400 cc - 78600 cc

EC386 78600 cc - 78800 cc

EC387 78800 cc - 79000 cc

EC388 79000 cc - 79200 cc

EC389 79200 cc - 79400 cc

EC390 79400 cc - 79600 cc

EC391 79600 cc - 79800 cc

EC392 79800 cc - 80000 cc

EC393 80000 cc - 80200 cc

EC394 80200 cc - 80400 cc

EC395 80400 cc - 80600 cc

EC396 80600 cc - 80800 cc

EC397 80800 cc - 81000 cc

EC398 81000 cc - 81200 cc

EC399 81200 cc - 81400 cc

EC400 81400 cc - 81600 cc

EC401 81600 cc - 81800 cc

EC402 81800 cc - 82000 cc

EC403 82000 cc - 82200 cc

EC404 82200 cc - 82400 cc

EC405 82400 cc - 82600 cc

EC406 82600 cc - 82800 cc

EC407 82800 cc - 83000 cc

EC408 83000 cc - 83200 cc

EC409 83200 cc - 83400 cc

EC410 83400 cc - 83600 cc

EC411 83600 cc - 83800 cc

EC412 83800 cc - 84000 cc

EC413 84000 cc - 84200 cc

EC414 84200 cc - 84400 cc

EC415 84400 cc - 84600 cc

EC416 84600 cc - 84800 cc

EC417 84800 cc - 85000 cc

EC418 85000 cc - 85200 cc

EC419 85200 cc - 85400 cc

EC420 85400 cc - 85600 cc

EC421 85600 cc - 85800 cc

EC422 85800 cc - 86000 cc

EC423 86000 cc - 86200 cc

EC424 86200 cc - 86400 cc

EC425 86400 cc - 86600 cc

EC426 86600 cc - 86800 cc

EC427 86800 cc - 87000 cc

EC428 87000 cc - 87200 cc

EC429 87200 cc - 87400 cc

EC430 87400 cc - 87600 cc

EC431 87600 cc - 87800 cc

EC432 87800 cc - 88000 cc

EC433 88000 cc - 88200 cc

EC434 88200 cc - 88400 cc

EC435 88400 cc - 88600 cc

EC436 88600 cc - 88800 cc

EC437 88800 cc - 89000 cc

EC438 89000 cc - 89200 cc

EC439 89200 cc - 89400 cc

EC440 89400 cc - 89600 cc

EC441 89600 cc - 89800 cc

EC442 89800 cc - 90000 cc

EC443 90000 cc - 90200 cc

EC444 90200 cc - 90400 cc

EC445 90400 cc - 90600 cc

EC446 90600 cc - 90800 cc

EC447 90800 cc - 91000 cc

EC448 91000 cc - 91200 cc

EC449 91200 cc - 91400 cc

EC450 91400 cc - 91600 cc

EC451 91600 cc - 91800 cc

EC452 91800 cc - 92000 cc

EC453 92000 cc - 92200 cc

EC454 92200 cc - 92400 cc

EC455 92400 cc - 92600 cc

EC456 92600 cc - 92800 cc

EC457 92800 cc - 93000 cc

EC458 93000 cc - 93200 cc

EC459 93200 cc - 93400 cc

EC460 93400 cc - 93600 cc

EC461 93600 cc - 93800 cc

EC462 93800 cc - 94000 cc

EC463 94000 cc - 94200 cc

EC464 94200 cc - 94400 cc

EC465 94400 cc - 94600 cc

EC466 94600 cc - 94800 cc

EC467 94800 cc - 95000 cc

EC468 95000 cc - 95200 cc

EC469 95200 cc - 95400 cc

EC470 95400 cc - 95600 cc

EC471 95600 cc - 95800 cc

EC472 95800 cc - 96000 cc

EC473 96000 cc - 96200 cc

EC474 96200 cc - 96400 cc

EC475 96400 cc - 96600 cc

EC476 96600 cc - 96800 cc


EC477 96800 cc - 97000 cc

EC478 97000 cc - 97200 cc

EC479 97200 cc - 97400 cc

EC480 97400 cc - 97600 cc

EC481 97600 cc - 97800 cc



Liquor Runners

Cape Town

2023/12/01

To Depot:

JHB

#	IBT REF	PRODUCT DISCRIPTION	SEND WEIGHT	REC WEIGHT	PALLET #	LOADED (Y/N)
1	IBT000764	WIESSBIER 24X330ML	1163		31	
2		WIESSBIER 24X330ML	1163		32	
3		WIESSBIER 24X330ML	1161		30	
4		WIESSBIER 24X330ML	1168		29	
		WIESSBIER 24X330ML	1163		29	
5		WIESSBIER 24X330ML	1169		27	
6		WIESSBIER 24X330ML	1166		26	
7		WIESSBIER 24X330ML	1169		25	
8		WIESSBIER 24X330ML	1167		24	
9		WIESSBIER 24X330ML	1159		23	
10		BITBURGER 0,0	992		1	
11		BITBURGER PREMIUM	997		2	
12		BITBURGER PREMIUM	992		3	
13		BITBURGER 0.0	986		22	
14		BITBURGER 0,0	991		21	
15		ERDINGER DUNKEL CANS	928		4	
16		ERDINGER DUNKEL CANS	931		6	
17		WIESSBIER 500ML	875		8	
18		MIX	992		10	
19		MIX	931		12	
20		DUNKEL 500ML	888		14	
21		DUNKEL 500ML	889		16	
22		DUNKEL 500ML	885		18	
23		BITBURGER PREMIUM	992		20	
24		KRISTALL 500ML	883		5	
25		KRISTALL 500ML	889		7	
26		WEISSBIER 500ML	883		9	
27		ERDINGER DUNKEL CANS	928		11	
28		ERDINGER DUNKEL CANS	928		13	
29		MIX	519		15	
30		BITBURGER 30L	779		17	
31		BITBURGER 30L	778		19	
32						
33						
34						
35						
36						
			31504			



ROAD DELIVERY NOTE

DRIVER:

Velly

HORSE REG:

HXH 327FS

TRAILER 1:

TRAILER 2:

DIESEL 1:

KM:

DIESEL 2:

KM:

SENDER:

Liquor Runners
Cape Town

RECEIVER:

Liquor Runners
JHB

DATE:

01/12/2020

DATE:

TIME IN:

12H00

TIME OUT:

13H00

TIME IN:

TIME OUT:

SIGNATURE OF SENDER

SIGNATURE OF RECEIVER

NB: In accordance with Road Transport Regulation 101 / 103, Ordinance 21/66 this vehicle may not carry a load heavier than.....kg. The Transporter / Agent will not be responsible for fines incurred through overloading and / or shortages occurring as a result thereof. Such fines / shortages shall be the responsibility of the Consignor.

LOADING POINT

UNLOADING POINT

PRODUCT:

x32pl+ Spices

SUPPLIER NAME:

SUPPLIER O/N:

SUPPLIERS DELIVERY NOTE REF NO:

WEIGH BRIDGE REF NO:

WEIGH BRIDGE REF NO:

GROSS:

TARE:

NET:

Kg.....

Kg.....

Kg.....

GROSS:

TARE:

NET:

Kg.....

Kg.....

Kg.....

GROSS:

TARE:

NET:

Kg.....

Kg.....

Kg.....

GROSS:

TARE:

NET:

Kg.....

Kg.....

Kg.....

REMARKS:

Driver Signature:

PLEASE NOTE: THIS COMPANY DOES NOT HOLD ITSELF RESPONSIBLE FOR ANY DAMAGE OR INCONVENIENCE CAUSED WHEN GOODS ARE REQUESTED TO BE DELIVERED INSIDE PROPERTY BOUNDARY

29/11/2023

Sign: _____