



# SWARTLAND WINERY

## Tax Invoice

**Swarthland Wynkelder (Pty) Ltd**

**Postal Address:**  
P O Box 7198  
Noorder Paarl  
7623

**Physical Address:**  
3km Outside Malmesbury  
(On the R45 towards Paarl)  
Malmesbury

**Telephone:** 0861 744 447  
**Facsimile:** 021 870 1139  
**Email Address:** info@liquorgistics.co.za  
**Website:** www.swwines.co.za  
**VAT No:** 4860104480  
**Liquor Licence:** WCP/000164

**To: Makro Montague Gardens (M20)**

**Delivery Address:**

3 Topaz Boulevard  
Milnerton  
Cape Town  
7441

**Massstores (Pty) Ltd**

**Postal Address:**

Massstores (Pty) Ltd Trading As Makro  
16 Peltier Drive  
Sunninghill  
Sandton  
2191

**BANKING DETAILS (NEW)**

**Acc Name:** Swarthland Wynkelder (Pty) Ltd  
**Bank Name:** Standard Bank Limited  
**Bank Acc No:** 300168931  
**Branch Code:** 051001

**Account** MAK2056  
**Date** 19/10/2023  
**Order No** SO155508  
**External Order** 4509162074  
**Our Reference** INV152263

**VAT No: 4300119155**

**Code** **Item Description**  
120154 SW Cape Ruby Port NV

WHS	Warehouse Name	QTY	Unit	Price (Ex)	Price (In)	Disc %	Price (Ex) After Disc	Total Excl	Tax	Total (Incl)	
013	Liquor Runners CPT	5.00	Case	06.750	391.30	450.00	10.0 %	352.17	1 760.87	264.13	2 025.00

PLEASE CHECK THE FOLLOWING  
FOR THE QUALITY OF THE WINE  
IF YOU ARE NOT SATISFIED  
PLEASE RETURN THE WINE  
WITHIN 14 DAYS OF RECEIPT  
PROOF OF DELIVERY REQUIRED  
BY RETURNING  
THIS IS NOT A REFUND.

**PLEASE NOTE: Kindly use your Account Number as your Reference when processing payments. Thank you.**

<b>Received by</b>	-----	<b>Total (Excl)</b>	1 760.87
<b>Date</b>	-----	<b>Tax</b>	264.13
		<b>Total (Incl)</b>	<b>2 025.00</b>
		<b>Discount</b>	0.00
<b>Signed</b>	-----	<b>Total (Incl)</b>	<b>2 025.00</b>

I acknowledge that the goods received are in good order.  
I fully agree that the goods satisfy the requirements of the order placed by me.  
By signing this invoice we undertake to use the money acquired from the sale of the said goods for no other purpose than to pay it back to Swarthland Wine Cellar Pty Ltd as agreed.

M	M	SO	K	K	R	R	R	R
M	M	A	K	K	R	R	R	R
M	M	AO	K	K	R	R	R	R
M	M	A	K	K	R	R	R	R
M	M	A	K	K	R	R	R	R
M	M	A	K	K	R	R	R	R

# GROUP OF FIFTY

1945

Wentz: 7697 SWEET AND KOPPELSTEIN WYNIK

PO BOX 95

Mr. McGarry, Westport Office 7900

Vendor Ref. No.: 4960104-90

Ref: 0226071136-07

Constituent

Order number 4709167074

# BOOKS

Officer Name: NON COLLECTOR

[illegible]

# ORDER INDEX

OTV OTV

Figure 1. The effect of the concentration of the polymer solution on the apparent activation energy of the polymerization of  $\alpha$ -methylstyrene. The concentration of the polymer solution was 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0, 5.1, 5.2, 5.3, 5.4, 5.5, 5.6, 5.7, 5.8, 5.9, 6.0, 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.9, 9.0, 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.9, 10.0, 10.1, 10.2, 10.3, 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 11.0, 11.1, 11.2, 11.3, 11.4, 11.5, 11.6, 11.7, 11.8, 11.9, 12.0, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 12.8, 12.9, 13.0, 13.1, 13.2, 13.3, 13.4, 13.5, 13.6, 13.7, 13.8, 13.9, 14.0, 14.1, 14.2, 14.3, 14.4, 14.5, 14.6, 14.7, 14.8, 14.9, 15.0, 15.1, 15.2, 15.3, 15.4, 15.5, 15.6, 15.7, 15.8, 15.9, 16.0, 16.1, 16.2, 16.3, 16.4, 16.5, 16.6, 16.7, 16.8, 16.9, 17.0, 17.1, 17.2, 17.3, 17.4, 17.5, 17.6, 17.7, 17.8, 17.9, 18.0, 18.1, 18.2, 18.3, 18.4, 18.5, 18.6, 18.7, 18.8, 18.9, 19.0, 19.1, 19.2, 19.3, 19.4, 19.5, 19.6, 19.7, 19.8, 19.9, 20.0, 20.1, 20.2, 20.3, 20.4, 20.5, 20.6, 20.7, 20.8, 20.9, 21.0, 21.1, 21.2, 21.3, 21.4, 21.5, 21.6, 21.7, 21.8, 21.9, 22.0, 22.1, 22.2, 22.3, 22.4, 22.5, 22.6, 22.7, 22.8, 22.9, 23.0, 23.1, 23.2, 23.3, 23.4, 23.5, 23.6, 23.7, 23.8, 23.9, 24.0, 24.1, 24.2, 24.3, 24.4, 24.5, 24.6, 24.7, 24.8, 24.9, 25.0, 25.1, 25.2, 25.3, 25.4, 25.5, 25.6, 25.7, 25.8, 25.9, 26.0, 26.1, 26.2, 26.3, 26.4, 26.5, 26.6, 26.7, 26.8, 26.9, 27.0, 27.1, 27.2, 27.3, 27.4, 27.5, 27.6, 27.7, 27.8, 27.9, 28.0, 28.1, 28.2, 28.3, 28.4, 28.5, 28.6, 28.7, 28.8, 28.9, 29.0, 29.1, 29.2, 29.3, 29.4, 29.5, 29.6, 29.7, 29.8, 29.9, 30.0, 30.1, 30.2, 30.3, 30.4, 30.5, 30.6, 30.7, 30.8, 30.9, 31.0, 31.1, 31.2, 31.3, 31.4, 31.5, 31.6, 31.7, 31.8, 31.9, 32.0, 32.1, 32.2, 32.3, 32.4, 32.5, 32.6, 32.7, 32.8, 32.9, 33.0, 33.1, 33.2, 33.3, 33.4, 33.5, 33.6, 33.7, 33.8, 33.9, 34.0, 34.1, 34.2, 34.3, 34.4, 34.5, 34.6, 34.7, 34.8, 34.9, 35.0, 35.1, 35.2, 35.3, 35.4, 35.5, 35.6, 35.7, 35.8, 35.9, 36.0, 36.1, 36.2, 36.3, 36.4, 36.5, 36.6, 36.7, 36.8, 36.9, 37.0, 37.1, 37.2, 37.3, 37.4, 37.5, 37.6, 37.7, 37.8, 37.9, 38.0, 38.1, 38.2, 38.3, 38.4, 38.5, 38.6, 38.7, 38.8, 38.9, 39.0, 39.1, 39.2, 39.3, 39.4, 39.5, 39.6, 39.7, 39.8, 39.9, 40.0, 40.1, 40.2, 40.3, 40.4, 40.5, 40.6, 40.7, 40.8, 40.9, 41.0, 41.1, 41.2, 41.3, 41.4, 41.5, 41.6, 41.7, 41.8, 41.9, 42.0, 42.1, 42.2, 42.3, 42.4, 42.5, 42.6, 42.7, 42.8, 42.9, 43.0, 43.1, 43.2, 43.3, 43.4, 43.5, 43.6, 43.7, 43.8, 43.9, 44.0, 44.1, 44.2, 44.3, 44.4, 44.5, 44.6, 44.7, 44.8, 44.9, 45.0, 45.1, 45.2, 45.3, 45.4, 45.5, 45.6, 45.7, 45.8, 45.9, 46.0, 46.1, 46.2, 46.3, 46.4, 46.5, 46.6, 46.7, 46.8, 46.9, 47.0, 47.1, 47.2, 47.3, 47.4, 47.5, 47.6, 47.7, 47.8, 47.9, 48.0, 48.1, 48.2, 48.3, 48.4, 48.5, 48.6, 48.7, 48.8, 48.9, 49.0, 49.1, 49.2, 49.3, 49.4, 49.5, 49.6, 49.7, 49.8, 49.9, 50.0, 50.1, 50.2, 50.3, 50.4, 50.5, 50.6, 50.7, 50.8, 50.9, 51.0, 51.1, 51.2, 51.3, 51.4, 51.5, 51.6, 51.7, 51.8, 51.9, 52.0, 52.1, 52.2, 52.3, 52.4, 52.5, 52.6, 52.7, 52.8, 52.9, 53.0, 53.1, 53.2, 53.3, 53.4, 53.5, 53.6, 53.7, 53.8, 53.9, 54.0, 54.1, 54.2, 54.3, 54.4, 54.5, 54.6, 54.7, 54.8, 54.9, 55.0, 55.1, 55.2, 55.3, 55.4, 55.5, 55.6, 55.7, 55.8, 55.9, 56.0, 56.1, 56.2, 56.3, 56.4, 56.5, 56.6, 56.7, 56.8, 56.9, 57.0, 57.1, 57.2, 57.3, 57.4, 57.5, 57.6, 57.7, 57.8, 57.9, 58.0, 58.1, 58.2, 58.3, 58.4, 58.5, 58.6, 58.7, 58.8, 58.9, 59.0, 59.1, 59.2, 59.3, 59.4, 59.5, 59.6, 59.7, 59.8, 59.9, 60.0, 60.1, 60.2, 60.3, 60.4, 60.5, 60.6, 60.7, 60.8, 60.9, 61.0, 61.1, 61.2, 61.3, 61.4, 61.5, 61.6, 61.7, 61.8, 61.9, 62.0, 62.1, 62.2, 62.3, 62.4, 62.5, 62.6, 62.7, 62.8, 62.9, 63.0, 63.1, 63.2, 63.3, 63.4, 63.5, 63.6, 63.7, 63.8, 63.9, 64.0, 64.1, 64.2, 64.3, 64.4, 64.5, 64.6, 64.7, 64.8, 64.9, 65.0, 65.1, 65.2, 65.3, 65.4, 65.5, 65.6, 65.7, 65.8, 65.9, 66.0, 66.1, 66.2, 66.3, 66.4, 66.5, 66.6, 66.7, 66.8, 66.9, 67.0, 67.1, 67.2, 67.3, 67.4, 67.5, 67.6, 67.7, 67.8, 67.9, 68.0, 68.1, 68.2, 68.3, 68.4, 68.5, 68.6, 68.7, 68.8, 68.9, 69.0, 69.1, 69.2

my remittance for this order

Figure 1. A schematic diagram of the experimental setup. A laser beam is directed through a series of lenses and mirrors, passing through a sample and a detector. The diagram shows the beam path, the sample, and the detector, with labels for the various components.

1 04699991 Te

2. IMPROVED - R

# STOCK DATE

4. THREE TO FOUR

NOT MAXED S

# Superscript

Parameter	Value
$\alpha$	0.05
$\beta$	0.05
$\gamma$	0.05
$\delta$	0.05
$\epsilon$	0.05
$\zeta$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05
$\mu$	0.05
$\nu$	0.05
$\xi$	0.05
$\omicron$	0.05
$\pi$	0.05
$\rho$	0.05
$\sigma$	0.05
$\tau$	0.05
$\upsilon$	0.05
$\phi$	0.05
$\chi$	0.05
$\psi$	0.05
$\omega$	0.05
$\varphi$	0.05
$\eta$	0.05
$\theta$	0.05
$\iota$	0.05
$\kappa$	0.05
$\lambda$	0.05

MAH

三三三三三

[illegible]

Copyright © 2006 John Wiley & Sons, Inc. All rights reserved. This book is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S. who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to CCC of the per copy fee of \$12.00, code 0885-6266/2006 \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from John Wiley & Sons, Inc. This book is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S. who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to CCC of the per copy fee of \$12.00, code 0885-6266/2006 \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from John Wiley & Sons, Inc. This book is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S. who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to CCC of the per copy fee of \$12.00, code 0885-6266/2006 \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from John Wiley & Sons, Inc.

Fig. 2. The dependence of the relative error of the calculation of the integral  $I$  on the number of nodes  $N$  of the grid. The relative error of the calculation of the integral  $I$  is defined as  $\epsilon = |I - I_N|/I$ , where  $I$  is the exact value of the integral, and  $I_N$  is the value of the integral calculated by the method of the rectangular rule.