

DIAGEO

FROM DIAGEO/SIPINGO 299/REHNER/SABRE/ISIPINGO 4465


TO: PALEWOOD INTERNATIONAL/BENONI 641/TORONTO ST/ARX/BENONI 4540

Delivery note

MATERIAL	PLANT	DESCRIPTION	BATCH	DRUMS/BAG	KG
3301015174	IS2	Raspberry Flavour 203580	10780099	16	400
3301015293	IS2	Acesulfame K	AK2503001	1	25
Picked	LUBABALO DUMALISILE				
Date	30/10/2025				
DRIVER'S NAME	TSHEPO				
TRUCK REGISTRATION	TB D 357 FS				
Driver Signature					

JHB

1/2/11/2025


Lubabalo Dungal'sile
Checker, Jerome


Nantong Changhai Food Additive Co., Ltd.
 No.15, Daqing Road, Qinglong Chemical Industry Yard, Haimen City,
 Jiangsu Province, China P.O. 226121
 Tel: +86-513-82909666 Fax: +86-513-82747448



CERTIFICATE OF ANALYSIS

Date: Jun. 11, 2025

Product:	ACESULFAME POTASSIUM POWDER
Batch No.:	AK2503001
Quantity:	200KG

Test Item	Specification	Results
-----------	---------------	---------

Appearance	Colorless or White crystalline powder	White crystalline powder
------------	---------------------------------------	--------------------------

Identification	Yellow Precipitate	Yellow Precipitate
----------------	--------------------	--------------------

Odor	Odorless	Odorless
------	----------	----------

Assay	99.0%~101.0%	99.40%
-------	--------------	--------

Fluoride	≤ 3 ppm	0.52 ppm
----------	---------	----------

Loss On Drying	≤ 1.0%	0.06%
----------------	--------	-------

Heavy Metals(as Pb)	≤ 10ppm	<10ppm*
---------------------	---------	---------

Ultraviolet Absorption	227+/-2nm	227±2nm*
------------------------	-----------	----------

Potassium	Positive	Positive*
-----------	----------	-----------

PH(1 of 100 Solution)	5.5~7.5	6.1
-----------------------	---------	-----

Arsenic	≤ 3 ppm	< 3 ppm*
---------	---------	----------

Lead	≤ 1 ppm	< 1 ppm*
------	---------	----------

Organic Impurities	≤ 20 ppm	< 20 ppm
--------------------	----------	----------

Residual Solvents	Meets the Requirements	Meets the Requirements*
-------------------	------------------------	-------------------------

Selenium	≤ 30 ppm	< 30 ppm*
----------	----------	-----------

Total Aerobic Plate Count	≤ 250 CFU/g	< 10 CFU/g
---------------------------	-------------	------------

Yeast and Mold Count	≤ 100 CFU/g	< 10 CFU/g
----------------------	-------------	------------

Coliforms	≤ 10 CFU/g	< 10 CFU/g*
-----------	------------	-------------

Escherichia Coli	Negative	Negative*
------------------	----------	-----------

Salmonella	Negative	Negative*
------------	----------	-----------

Manufacturing Date: Mar.09, 2025	Expiration Date: Mar. 08, 2027	
----------------------------------	--------------------------------	--

Conclusion	Meets the Requirements of GB 25540-2010 Food safety national standard food additive Acesulfame potassium	
------------	--	--

QC Dept. Leader: Wu, Kaiyong


Supervisor: Huang, Wei

Analyst: Ni, Shanshan

*Guarantee Compliance



Certificate of Analysis 22855528



DIAGEO SOUTH AFRICA PTY Ltd.
299 REFINERY ROAD
4133 ISIPINGO DURBAN
SOUTH AFRICA

Date 22-OCT-2025 1 / 2
Order 33725776 / 000004
Your Order number 4904557976
Delivery 84111264 / 000001
Partner-No. 20101281
Contact person Zythiwe Nkosi
Flavours F&N
Tel. +27 11 281 3053
Fax
zythiwe.nkosi@symrise.com

Material: 203580
RASPBERRY FLAVOUR
Customer Material Number: 3001
Batch/Lot: 10780099
Storage: dry, ambient temp.
Date produced 15 OCT 2025
Best before 05-OCT-27

Characteristics	Value	Lower Limit	Upper Limit
-----------------	-------	-------------	-------------

0605 Sensory analysis 0.2 % in test solution
Taste in test medium sweet 10 %

according to standard
1) comparable to standard

0223 Odor on smelling strip, pure
Odor

according to standard
1) according to standard

0864 Visual evaluation in sample vial
Appearance

clear liquid
1) clear liquid
colourless
1) pale yellow to light yellow
passed test

Color/appearance pure

0001 Density (Oscillating U-tube)
Relative density, D20/4

1.0348 1.0260 1.0460

0002 Refractometry
Refractive index, n20/D

1.4331 1.4230 1.4420

Material: 203580
Customer Material Number: 3001
Batch/Lot: 10780099 800.000 KG

Characteristics		Value
Upper Limit	Lower Limit	

For information only

Flashpoint (CC)

°C approx. 74
°F approx. 165

Annotation:

- 1) Target
- 2) Intermittent tested. This time skipped.

The certificate does not release the user from the responsibility of undertaking his own tests of the characteristics of the product and its suitability in the intended application.
This is a computer generated certificate of analysis and is therefore not signed by hand. The positive release procedure and the stringent workflow of the computerized system ensure the same level of reliability as a handwritten signature.

JHR

DIAGEO

Delivery note

FROM DIAGEO (SIPINGO/289) REFINERY, SAPREH (SIPINGO/446)				TO HALEWOOD INTERNATIONAL BENONI, 6110 HONTOST, APEX BENONI, 1520			
MATERIAL	PLANT	DESCRIPTION	BATCH	DRUMS/BAG	KG		
3301015174	IS2	Raspberry Flavour 203580	10780099	16	400		
3301015293	IS2	Acesulfame K	AK2503001	1	25		
Picked	LUBABALO DUMALISILE						
Date	30/10/2025						
DRIVERS NAME	Tshepo						
TRUCK REGISTRATION	JBD 351 FS						
Driver Signature							

1 pallet


Lubabalo Dumal'sile
Checked: Jerome




CERTIFICATE OF ANALYSIS

Date: Jun. 11, 2025

Product:	ACESULFAME POTASSIUM POWDER
Batch No.: AK2503001	Quantity: 200KG

Test Item	Specification	Results
-----------	---------------	---------

Appearance	Colorless or White crystalline powder	White crystalline powder
------------	---------------------------------------	--------------------------

Identification	Yellow Precipitate	Yellow Precipitate
----------------	--------------------	--------------------

Odor	Odorless	Odorless
------	----------	----------

Assay	99.0%-101.0%	99.40%
-------	--------------	--------

Fluoride	≤ 3 ppm	0.52 ppm
----------	---------	----------

Loss On Drying	≤ 1.0%	0.06%
----------------	--------	-------

Heavy Metals(as Pb)	≤ 10ppm	<10ppm*
---------------------	---------	---------

Ultraviolet Absorption	227±/-2nm	227±2nm*
------------------------	-----------	----------

Potassium	Positive	Positive*
-----------	----------	-----------

PH(1 of 100 Solution)	5.5~7.5	6.1
-----------------------	---------	-----

Arsenic	≤ 3 ppm	< 3 ppm*
---------	---------	----------

Lead	≤ 1 ppm	< 1 ppm*
------	---------	----------

Organic Impurities	≤ 20 ppm	< 20 ppm
--------------------	----------	----------

Residual Solvents	Meets the Requirements	Meets the Requirements*
-------------------	------------------------	-------------------------

Selenium	≤ 30 ppm	< 30 ppm*
----------	----------	-----------

Total Aerobic Plate Count	≤ 250 CFU/g	< 10 CFU/g
---------------------------	-------------	------------

Yeast and Mold Count	≤ 100 CFU/g	< 10 CFU/g
----------------------	-------------	------------

Coliforms	≤ 10 CFU/g	< 10 CFU/g*
-----------	------------	-------------

Escherichia Coli	Negative	Negative*
------------------	----------	-----------

Salmonella	Negative	Negative*
------------	----------	-----------

Manufacturing Date: Mar.09, 2025	Expiration Date: Mar. 08, 2027	
----------------------------------	--------------------------------	--

Conclusion	Meets the Requirements of GB 25540-2010 Food safety national standard additive Acesulfame potassium	
------------	---	--

QC Dept. Leader: Wu, Kaiyong


Supervisor: Huang, Wei

Analyst: Ni, Shanshan

* Guarantee Compliance



Certificate of Analysis 22855528



DIAGEO SOUTH AFRICA PTY LTD.
299 REFINERY ROAD
4133 ISIPINGO DURBAN
SOUTH AFRICA

Date 22-OCT-2025 1 / 2
Order 33725776 / 000004
Your Order number 4904567976
Delivery 84111264 / 000001
Partner-No. 20101281
Contact person Zythiwe Nkosi
Flavours F&N
Tel. + 27 11 281 3053
Fax
zythiwe.nkosi@symrise.com

Material: 203580
RASPBERRY FLAVOUR
Customer Material Number: 3001
Batch/Lot: 10780099 800.000 KG
Storage: dry, ambient temp.
Date produced 15 OCT 2025
Best before 05-OCT-27

Characteristics		
Value	Lower Limit	Upper Limit


0605 Sensory analysis 0.2 % in test solution
Taste in test medium sweet 10 %
according to standard
1) comparable to standard

0223 Odor on smelling strip, pure
Odor
according to standard
1) according to standard

0864 Visual evaluation in sample vial
Appearance
clear liquid
1) clear liquid
colourless
1) pale yellow to light yellow
passed test

0001 Density (Oscillating U-tube)
Relative density, D20/4 1.0348 1.0260 1.0460
0002 Refractometry
Refractive index, n20/D 1.4331 1.4230 1.4420

Certificate of Analysis 22855528



Material: 203580
Customer Material Number: 3001
Batch/Lot: 10780099
800,000 KG

Characteristics		Value	Lower Limit	Upper Limit
-----------------	--	-------	-------------	-------------

For information only

Flashpoint (CC)

°C approx. 74
°F approx. 165

Annotation:

- 1) Target
- 2) Intermittent tested. This time skipped.

The certificate does not release the user from the responsibility of undertaking his own tests of the characteristics of the product and its suitability in the intended application.
This is a computer generated certificate of analysis and is therefore not signed by hand. The positive release procedure and the stringent workflow of the computerized system ensure the same level of reliability as a handwritten signature.

WPL 00002427

DIAGEO				Delivery note	
FROM DIAGEO (SIPINGO/259) REFINERY, SARREH (SIPINGO/406)				TO HALEWOOD INTERNATIONAL BENONI, 64 TORONTOSI, APEX BENONI, 640	
MATERIAL	PLANT	DESCRIPTION	BATCH	DRUMS/BAG	KG
3301015174	IS2	Raspberry Flavour 203580	10780099	16	400
3301015293	IS2	Acesulfame K	AK2503001	1	25
Picked	LUBABALO DUMALSILE				
Date	30/10/2025				
DRIVER'S NAME	TSH SPO				
TRUCK REGISTRATION	JBD 357 FS				
Driver Signature					

I

Pallet

luba b/c

und l/s/r

Checker: Jerome

31/10/25



CERTIFICATE OF ANALYSIS

Date: Jun. 11, 2025

Product:	ACESULFAME POTASSIUM POWDER
Batch No.:	AK2503001
Quantity:	200KG

Test Item	Specification	Results
Appearance	Colorless or White crystalline powder	White crystalline powder
Identification	Yellow Precipitate	Yellow Precipitate
Odor	Odorless	Odorless
Assay	99.0%~101.0%	99.40%
Fluoride	≤ 3 ppm	0.52 ppm
Loss On Drying	≤ 1.0%	0.06%
Heavy Metals(as Pb)	≤ 10ppm	<10ppm*
Ultraviolet Absorption	227+/-2nm	227±2nm*
Potassium	Positive	Positive*
PH(1 of 100 Solution)	5.5~7.5	6.1
Arsenic	≤ 3 ppm	< 3 ppm*
Lead	≤ 1 ppm	< 1 ppm*
Organic Impurities	≤ 20 ppm	< 20 ppm
Residual Solvents	Meets the Requirements	Meets the Requirements*
Selenium	≤ 30 ppm	< 30 ppm*
Total Aerobic Plate Count	≤ 250 CFU/g	< 10 CFU/g
Yeast and Mold Count	≤ 100 CFU/g	< 10 CFU/g
Coliforms	≤ 10 CFU/g	< 10 CFU/g*
Escherichia Coli	Negative	Negative*
Salmonella	Negative	Negative*
Manufacturing Date: Mar.09, 2025	Expiration Date: Mar. 08, 2027	
Conclusion	Meets the Requirements of GB 25540-2010 Food safety national standard additive Acesulfame potassium	

QC Dept. Leader: Wu, Kaiyong
Supervisor: Huang, Wei
Analyst: Ni, Shanshan

*Guarantee Compliance



Certificate of Analysis 22855528



DIAGEO SOUTH AFRICA PTY Ltd.
299 REFINERY ROAD
4133 ISIPINGO DURBAN
SOUTH AFRICA

Date 22-OCT-2025 Page 1 / 2
Order 33725776 / 000004
Your Order number 4904557976
Delivery 84111264 / 000001
Partner-No. 20101281
Contact person Zythiwe Nkosi
Flavours F&N
Tel. +27 11 281 3053
Fax
zythiwe.nkosi@symrise.com

Material: 203580
RASPBERRY FLAVOUR
Customer Material Number: 3001
Batch/Lot: 10780099 800.000 KG
Storage: dry, ambient temp.
Date produced 15 OCT 2025
Best before 05-OCT-27

Characteristics	Value	Lower Limit	Upper Limit
0605 Sensory analysis 0.2 % in test solution Taste in test medium sweet 10 %	according to standard 1) comparable to standard		
0223 Odor on smelling strip, pure Odor	according to standard 1) according to standard		
0864 Visual evaluation in sample vial Appearance	clear liquid 1) clear liquid		
Color	colourless 1) pale yellow to light yellow		
Color/appearance pure	passed test		
0001 Density (Oscillating U-tube) Relative density, D20/4	1.0348	1.0260	1.0460
0002 Refractometry Refractive index, n20/D	1.4331	1.4230	1.4420

Certificate of Analysis 22855528



Page
2 / 2

Material: **203580**
Customer Material Number: **3001**
Batch/Lot: **10780099** **800.000 KG**

Characteristics	Value	Lower Limit	Upper Limit
-----------------	-------	-------------	-------------

For information only

Flashpoint (CC)	°C	approx. 74
	°F	approx. 165

Annotation:

- 1) Target
- 2) Intermittent tested. This time skipped.

The certificate does not release the user from the responsibility of undertaking his own tests of the characteristics of the product and its suitability in the intended application.

This is a computer generated certificate of analysis and is therefore not signed by hand. The positive release procedure and the stringent workflow of the computerized system ensure the same level of reliability as a handwritten signature.