

VAT NO: 4450191681
 LICENCE NO: NLA/RG0000384
 REG NO: CK2000/064578/23
 TEL : 0219057713
 FAX : 086 509 9587

SANDS TRADERS CC T/A
 WINEWAYS MARKETING & DISTRIBUTION
 P O BOX 180
 BLACKHEATH
 7581

Tax Invoice	
Date	04/02/2025
Page	1
Document No	IN913170

SAMPLES

Deliver to
 VALENTINES HAMPER STOCK
 ERICA MACKIE


Confirm:SG Vermeulen

Account	Your Reference	Tax Exempt	Tax Reference	Sales Code
SAMPLE	VALENTINE HAMPER	N		SA
				Inclusive

Code	Store	Description	Quantity	Unit	Unit Price	Disc%	Tax	Nett Price
MOOD05	LRJ	Moods Mixed Party Box 50ml Tubes	1	BOX	648.00	100.00	0.00	0.00
MOOD06	LRJ	Moods Lemon Flavour Sours 50ml	1	BOX	648.00	100.00	0.00	0.00
DEV CAB	LRJ	De Villiers Cabemet Sauvignon (6)	1	CASE	325.80	100.00	0.00	0.00
Erica to collect: 04022025								

ABSA 4094710495/Branch 632005
 Goods remain the property of
 Wineways until paid in full.

Received in good order

Signed  Date 04 / Feb / 2025

Sub Total	0.00
Discount @ 0.00%	0.00
Amount Excl Tax	0.00
Tax	0.00
Total	0.00

LRSA SINGLE PICK FOR COLLECTION / SPECIAL DELIVERY

IN913170WW

Stock Code	Stock Description	Packsize	Unit	Batch	Units QTY
------------	-------------------	----------	------	-------	-----------

Load ID: 2388647

SAND TRADERS CC T/A WINE WAYS MARKETING

SAND TRADERS SAMPLES

CS

CWPDEVCAB	De Villiers Cabernet Sauvignon (6)	CASE	CS		
CWPMOOD06	Moods Lemon Flavour Sours 50ml	BOX	CS		
CWPMOOD05	Moods Mixed Party Box 50ml Tubes	BOX	CS		

1
1
1
3

Picked By: Kacey

Checked By: K

2025/02/04 12:53:30

LRSA VARIANCE REPORT FOR SINGLE INVOICE


2388647

SAND TRADERS SAMPLES TO RECEIVE 0 PALLETS

IN913170WW

Scanned	St Code	St Desc	PackSize	Unit	Units QTY	Scan QTY	Variance
04/02/2025 01:02	CWPDEV CAB	De Villiers Cabernet Sauvignon (6)	CASE	CS	1	1	0
04/02/2025 01:03	CWPMOOD05	Moods Mixed Party Box 50ml Tubes	BOX	CS	1	1	0
04/02/2025 01:03	CWPMOOD06	Moods Lemon Flavour Sours 50ml	BOX	CS	1	1	0
					3.00	3.00	0.00





ERICA MACKIE

FR 08 PM GP

DELIVERIES

<u>DRIVER NAME:</u>
<u>TRUCK REGISTRATION:</u>
<u>COMPANY:</u>
<u>INVOICE NUMBER:</u>
<u>DATE:</u>



COLLECTIONS

<u>DRIVER NAME:</u> BRICA MACKIE
<u>TRUCK REGISTRATION:</u> PR 08 VM GP
<u>COMPANY:</u> WINELWAYS
<u>INVOICE NUMBER:</u> 913170
<u>DATE:</u> 4/2/25

DEPOT: LINBRO PARK SITE RULES

PPE requirements	Speed limit	Alcohol test	Parking	Firearms
<p>Reflector vest and safety shoes is mandatory.</p>	<p>Maintain speed limit.</p>	<p>Mandatory alcohol testing on entry & exit.</p> <p>0.00% Tolerance</p>	<p>Only Park in designated areas.</p>	<p>No firearms/ weapons allowed on site.</p>
Moving machinery	Smoking	Emergency	Incident reporting	Walkways
<p>Beware of forklift and truck movement.</p>	<p>Only smoke in designated areas.</p>	<p>In the event of emergency go to assembly point</p>	<p>All incidents/accidents must be reported.</p> <p>Incident Reporting</p>	<p>Always use designated pedestrian walkways</p>

LOADING/OFFLOADING RULES

Reversing	Truck Keys	Chock Blocks	Safe Zone
<p>Use a banksman to assist when reversing.</p>	<p>Remove the Keys from the Ignition & hand over to FLT operator or Supervisor.</p>	<p>Use chock blocks when parked.</p>	<p>ALL drivers must wait in driver safe zone during loading/ offloading process.</p>
Showers	Gloves	Climbing	Exit Gate
<p>No showering allowed on site.</p>	<p>Safety Gloves must be worn when opening and Closing Tarps and during manual handling activities.</p>	<p>No Climbing on Trailer decks unless 3-point contact can be maintained.</p> <p>DO NOT USE CRATES OR PALLETS FOR 3 POINT CONTACT</p>	<p>Site Exit gate works on a vacuum system and drivers must stop at the first stop sign.</p>

Drivers must secure their loads immediately once loading has finished and exit the premises without delay when instructed to do so by a Liquor Runners representative.

ALL drivers MUST complete a 360 inspection of his/her truck after the loading/offloading process and before leaving with his truck. This is to ensure no additional risk around the truck before driving off.

Forklift drivers have the right to refuse loading the truck, should the truck driver not be within the safe zone during the loading process.